

pstricks-add

additionals Macros for pstricks

v.2.57

Herbert Voß

July 7, 2005

Abstract

This version of `pstricks-add` needs `pstricks.tex` version >1.04 from June 2004, otherwise the additional macros may not work as expected. The ellipsis material and the option `asolid` (renamed to `eofill`) are now part of the new `pstricks.tex` package, available at CTAN or at <http://perce.de/LaTeX/>. `pstricks-add` will for ever be an experimental and dynamical package, try it at your own risk.

- It is important to load `pstricks-add` as **last** PStricks related package, otherwise a lot of the macros won't work in the expected way.
- `pstricks-add` uses the extended version of the keyval package. So be sure, that you have installed `pst-xkey` which is part of the `xkeyval`-package and that all packages, that uses the old keyval interface are loaded **before** the `xkeyval`.^[1]
- the option `tickstyle` from `pst-plot` is no more supported, use `ticksize` instead.
- the option `xyLabel` is no more supported, use `\def\pshlabel#1{...}` and `\def\psvlabel#1{...}` instead.

Contents

I pstricks	7
1 Numeric functions	7
1.1 \pst@divide	7
1.2 \pst@mod	7
1.3 \pst@max	8
1.4 \pst@maxdim	8
1.5 \pst@abs	8
1.6 \pst@absdim	9
2 Dashed Lines	9
3 \rmultiput, a multiple \rput	10
4 \pslineII Colored lines	11
4.1 The options	11
4.2 Examples	12
5 \pslineIII Variable linewidth	14
5.1 The options	14
5.2 Examples	15
6 \psbrace	15
6.1 Syntax	15
6.2 Options	16
6.3 Examples	16
7 Random dots	21

8 Arrows	24
8.1 Definition	24
8.2 Multiple arrows	25
8.3 <code>hookarrow</code>	26
8.4 <code>hookrightarrow</code> and <code>hookleftarrow</code>	27
8.5 <code>ArrowInside</code> Option	27
8.6 <code>ArrowFill</code> Option	29
8.7 Examples	30
8.7.1 <code>\psline</code>	30
8.7.2 <code>\pspolygon</code>	32
8.7.3 <code>\psbezier</code>	34
8.7.4 <code>\pcline</code>	36
8.7.5 <code>\pccurve</code>	37
9 <code>\psFormatInt</code>	38
II <code>pst-node</code>	39
10 <code>\nclineII</code>	39
10.1 The options	39
10.2 Examples	39
11 <code>\pclineII</code>	40
12 <code>\ncdiag</code> and <code>\pcdiag</code>	41
13 <code>\ncdiagg</code> and <code>\pcdiagg</code>	43
14 <code>\ncbarr</code>	45
15 <code>\psRelNode</code>	46

16	\psRelLine	46
17	\psParallelLine	51
18	\psIntersectionPoint	52
19	\psLNode and \psLCNode	53
III	pst-plot	55
20	New options	55
20.1	algebraic	57
20.1.1	Using the SUM function	58
20.1.2	Using the IFTE function	59
20.2	comma	61
20.3	xyAxes, xAxis and yAxis	61
20.4	xyDecimals, xDecimals and yDecimals	62
20.5	Changing the label style	64
20.6	ticks	64
20.7	labels	65
20.8	ticksize, xticksize, yticksize	67
20.9	subticks	68
20.10	subticksize, xsubticksize, ysubticksize	69
20.11	tickcolor, subtickcolor	70
20.12	ticklinestyle and subticklinestyle	71
20.13	loglines	72
20.14	xylogBase, xlogBase and ylogBase	74
20.14.1	xylogBase	74
20.14.2	ylogBase	75

20.14.3 <code>xlogBase</code>	77
20.14.4 No logstyle (<code>xylogBase={}</code>)	79
20.15 <code>subticks</code> , <code>tickwidth</code> and <code>subtickwidth</code>	79
20.16 <code>xlabelFactor</code> and <code>ylabelFactor</code>	85
20.17 Plot style <code>bar</code> and option <code>barwidth</code>	86
20.18 Axis with trigonmetrical units	88
20.19 New options for <code>\readaddata</code>	89
20.20 New options for <code>\listplot</code>	90
20.20.1 Example for <code>nStep/xStep</code>	91
20.20.2 Example for <code>nStart/xStart</code>	92
20.20.3 Example for <code>nEnd/xEnd</code>	92
20.20.4 Example for all new options	93
20.20.5 Example for <code>xStart</code>	93
20.20.6 Example for <code>yStart/yEnd</code>	95
20.20.7 Example for <code>plotNo/plotNoMax</code>	95
20.20.8 Example for <code>changeOrder</code>	97
21 Polar plots	97
22 New commands and environments	100
22.1 <code>\pstScalePoints</code>	100
22.2 <code>psgraph</code> environment	101
22.2.1 The new options	107
22.2.2 Problems	109
22.3 <code>\psplotTangent</code>	110
22.3.1 A <code>polarplot</code> example	113
22.3.2 A <code>\parametricplot</code> example	115
22.4 <code>\psplotDiffEqn</code> – solving differential equations	116
22.4.1 <code>plotfuncx</code> and <code>plotfuncy</code>	118

22.4.2 Simple equation of first order $y' = y$	118
22.4.3 $y' = -y$	119
22.4.4 $y' = \frac{2-ty}{4-t^2}$	120
22.4.5 $y' = -2xy$	123
22.4.6 Spirale of Cornu	123
22.4.7 Lotka-Volterra	124
22.4.8 $y'' = y$	127
22.4.9 $y'' = -y$	128
22.4.10 The mechanical pendulum: $y'' = -\frac{g}{l} \sin(y)$	128
22.4.11 $y'' = -\frac{y'}{4} - 2y$	130
22.4.12 Gravitation example of second order	131
22.4.13 Gravitation: two stars and more	133
22.5 \resetOptions	135
23 Credits	136
24 Change log	137

Part I

pstricks

1 Numeric functions

All macronames contain a @ in their name, because they are only for internal use, but it is no problem to use it as the other macros. One can define another name without a @:

```
\makeatletter  
\let\pstdivide\pst@divide  
\makeatother
```

or put the macro inside of the `\makeatletter – \makeatother` sequence.

1.1 \pst@divide

pstricks itself has its own divide macro, called `\pst@divide` which can divide two lengthes and saves the quotient as a floating point number:

```
\pst@divide{<dividend>}{<divisor>}{{<result as a macro>}}
```

```
5.66666 1 \makeatletter  
-0.17647 2 \pst@divide{34pt}{6pt}\quotient \quotient\\  
4 \makeatother
```

this gives the output 5.66666. The result is not a length!

1.2 \pst@mod

pstricks-add defines an additional numeric function for the modulus:

```
\pst@mod{<integer>}{<integer>}{{<result as a macro>}}
```

```

4   \makeatletter
1   2 \pst@mod{34}{6}\modulo \modulo \\
3 \pst@mod{25}{-6}\modulo \modulo
4 \makeatother

```

this gives the output 4. Using this internal numeric functions in documents requires a setting inside the `makeatletter` and `makeatother` environment. It makes some sense to define a new macroname in the preamble to use it throughou, e.g. `\let\modulo\pst@mod`.

1.3 \pst@max

```
\pst@max{<integer>}{<integer>}{{<result as count register>}}
```

```

1 \newcount\maxNo
-6 2 \makeatletter
11 3 \pst@max{-34}{-6}\maxNo \the\maxNo \\
4 \pst@max{0}{11}\maxNo \the\maxNo
5 \makeatother

```

1.4 \pst@maxdim

```
\pst@maxdim{<dimension>}{<dimension>}{{<result as dimension register>}}
```

```

1234.0pt 1 \newdimen\maxDim
967.39369pt 2 \makeatletter
3 \pst@maxdim{34cm}{1234pt}\maxDim \the\maxDim \\
4 \pst@maxdim{34cm}{123pt}\maxDim \the\maxDim
5 \makeatother

```

1.5 \pst@abs

```
\pst@abs{<integer>}{{<result as a count register>}}
```

```

34   1 \newcount\absNo
4    2 \makeatletter
      3 \pst@abs{-34}\absNo \the\absNo \\
      4 \pst@abs{4}\absNo \the\absNo
      5 \makeatother

```

1.6 \pst@absdim

\pst@absdim{<dimension>}{<result as a dimension register>}

```


967.39369pt 1 \newdimen\absDim
0.00006pt   2 \makeatletter
              3 \pst@absdim{-34cm}\absDim \the\absDim \\
              4 \pst@absdim{4sp}\absDim \the\absDim
              5 \makeatother

```

2 Dashed Lines

Tobias Nübling implemented an enhanced feature for dashed lines. The number of arguments is no more limited.

dash=value1[unit] value2[unit] ...



```


1 \begin{pspicture}(-5,-4)(5,4)
2   \psset{linewidth=2.5pt}
3   \psgrid[subgriddiv=0,griddots=10,gridlabels=0pt]
4   \psset{linestyle=dashed}
5   \pscurve[dash=5mm 1mm 1mm 1mm, linewidth=0.1](-5,4)(-4,3)(-3,4)(-2,3)
6   \psline[dash=5mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm 1mm](-5,0.9)(5,0.9)
7   \psccurve[linestyle=solid](0,0)(1,0)(1,1)(0,1)
8   \psccurve[linestyle=dashed,dash=5mm 2mm 0.1 0.2,linetype=0](0,0)(-2.5,0)
9     (-2.5,-2.5)(0,-2.5)
10  \pscurve[dash=3mm 3mm 1mm 1mm, linecolor=red, linewidth=2pt](5,-4)(5,2)
11    (4.5,3.5)(3,4)(-5,4)
12 \end{pspicture}

```

3 \rmultiput, a multiple \rput

PSTricks already knows a `multirput`, which puts a box n times with a difference of dx and dy relativ to each other. It is not possible to put it with a different distance from one point to the next one. This is possible with `rmultiput`:

```
\rmultiput[<options>]{<any material>}(x1,y1)(x2,y2) ... (xn,yn)
\rmultiput*[<options>]{<any material>}(x1,y1)(x2,y2) ... (xn,yn)
```



```

1 \psset{unit=0.75}
2 \begin{pspicture}(-4,-4)(4,4)
3 \rmultiput[rot=45]{\red\psscalebox{3}{\ding{250}}}{%
4 (-2,-4)(-2,-3)(-3,-3)(-2,-1)(0,0)(1,2)%
5 (1.5,3)(3,3)}
6 \rmultiput[rot=90,ref=lC]{\blue\psscalebox{2}{\ding{253}}}{%
7 (-2,2.5)(-2,2.5)(-3,2.5)(-2,1)(1,-2)%
8 (1.5,-3)(3,-3)}
9 \psgrid[subgriddiv=0,gridcolor=lightgray]
10 \end{pspicture}

```

4 \pslineII Colored lines

The dashed lines are by default black and white lines. The new macro `\pslineII` offers two-color lines and has the same syntax as `\psline`.



```

1 \begin{pspicture}(0,-0.5)(12,0.5)
2 \pslineII[linewidth=5pt,arrowscale=2]{o-o}(0,0)(12,0)
3 \end{pspicture}


```

4.1 The options


name	meaning
<code>dashColorI</code>	first color, default is <code>black</code>
<code>dashColorII</code>	second color, default is <code>red</code>
<code>dashNo</code>	the difference in per cent of the colored lines, default is 0.2
<code>linecap</code>	how two lines are connected. 0: no modification 1: rounded edges 2: an additional half square at both ends

dashNo can have values greater than 1. In this case the value will be taken as an absolute width in the pt unit. Only this unit is possible!


4.2 Examples




```
1 \psset{linewidth=2pt}
2 \begin{pspicture}(3,3)
3   \pslineII{->}(0,0)(3,3)
4 \end{pspicture}
```




```
1 \psset{linewidth=2pt}
2 \begin{pspicture}(3,3)
3   \pslineII[dashColorI=blue]{->}(0,0)(3,3)
4 \end{pspicture}
```



```
1 \psset{linewidth=2pt}
2 \begin{pspicture}(3,3)
3   \pslineII[dashColorI=blue,dashNo=15]{->}(0,0)(3,3)
4 \end{pspicture}
```




```
1 \psset{linewidth=2pt}
2 \begin{pspicture}(3,3)
3   \pslineII[dashColorI=blue, linecap=1,%
4             dashNo=0.3, linewidth=0.5](0,0)(2,3)
5 \end{pspicture}
```



```

1 \psset{linecolor=red,arrowscale=3}
2 \psset{dashColorI=red,dashColorII=blue,dashNo=20,linewidth=2pt}
3 \begin{pspicture}(0,0)(12,-5)
4 \pslineII{<->}(0,0)(10,0)(10,-5)(0,-5)
5 \pslineII[linewidth=5pt,%
6     dashNo=0.1,arrowscale=2]{o-o}(0,-2.5)(12,-2.5)
7 \end{pspicture}

```



```

1 \psset{linewidth=15pt,dashNo=10}
2 \begin{pspicture}(0,1)(10,-6)
3   \pslineII[linecap=2](0,0)(5,0)(5,-5)(0,-5)(0,0)
4   \rput{45}(7,-2.5){%
5     \pslineII[linecap=1,dashColorI=yellow,%  

6       dashColorII=cyan](0,0)(5,0)(5,-5)(0,-5)(0,0)%
7   }
8 \end{pspicture}

```

5 \pslineIII Variable linewidth

By default all lines have a fixed width. \pslineIII allows to define the start and the end width of a line. It has the same syntax as \psline.



```

1 \pslineIII[wBegin=1cm,wEnd=0.3cm,linecolor=cyan](0,0)(12,0)

```

5.1 The options

name	meaning
wBegin	first width, default is \pslinewidth
wEnd	last width, default is \pslinewidth

It is also possible to use pslineIII with more than two coordinates, like




```

1 \pslineIII[wBegin=1cm,wEnd=0.1cm,linecolor=cyan](0,0)(0,1.5)(12,1.5)
      (12,0)

```


5.2 Examples



6 \psbrace

6.1 Syntax

```
\psbrace[<options>] (<A>)(<B>){<text>}
```



```
1 \begin{pspicture}(4,4)
2 \psgrid[subgriddiv=0,griddots=10]
3 \pnode(0,0){A}
4 \pnode(4,4){B}
5 \psbrace[linecolor=red,ref=lC](A)(B){Text I}
6 \psbrace[linecolor=blue,ref=lC](3,4)(0,1){Text II}
7 \end{pspicture}
```

The option `\specialCoor` is enabled, so that all types of coordinates are possible, (nodename), (x, y) , $(nodeA|nodeB)$, ...


6.2 Options

Additional to all other available options from `pstricks` or the other related packages, there are two new option, named `braceWidth` and `bracePos`. All important ones are shown in the following table.

name	meaning
<code>braceWidth</code>	default is 0.35
<code>bracePos</code>	relative position (default is 0.5)
<code>linearC</code>	absolute value for the arcs (default is 2mm)
<code>nodesepA</code>	x-separation (default is 0pt)
<code>nodesepB</code>	y-separation (default is 0pt)
<code>rot</code>	additional rotating for the text (default is 0)
<code>ref</code>	reference point for the text (default is c)

By default the text is written perpendicular to the brace line and can be changed with the `pstricks` option `rot=....`. The text parameter can take any object and may also be empty. The reference point can be any value of the combination of `l` (left) or `r` (right) and `b` (bottom) or `B` (Baseline) or `c` (center) or `t` (top), where the default is `c`, the center of the object.

6.3 Examples



```

1 \begin{pspicture}(8,2.5)
2 \psbrace(0,0)(0,2){\fbox{Text}}%
3 \psbrace[nodesepA=20pt](2,0)(2,2){\fbox{Text}}
4 \psbrace[ref=lc](4,0)(4,2){\fbox{Text}}
5 \psbrace[ref=lt,rot=90,nodesepB=-15pt](6,0)(6,2){\fbox{Text}}
6 \psbrace[ref=lt,rot=90,nodesepA=-5pt,nodesepB=15pt](8,2)(8,0){\fbox{Text}}
7 \end{pspicture}

```

$$\left. \int_1^{\infty} \frac{1}{x^2} dx = 1 \right\} \left. \int_1^{\infty} \frac{1}{x^2} dx = \int_1^{\infty} \frac{1}{x^2} dx = \right\} \left. \int_1^{\infty} \frac{1}{x^2} dx = \right\} \left. \begin{array}{l} \text{if } x^2 < 1 \\ \frac{1}{x^2} dx \\ \text{if } x^2 > 1 \end{array} \right\}$$

```

1 \def\someMath{$\int \limits_1^\infty \frac{1}{x^2} dx=1$}
2 \begin{pspicture}(8,2.5)
3 \psbrace(0,0)(0,2){\someMath}%
4 \psbrace[nodesepA=30pt](2,0)(2,2){\someMath}
5 \psbrace[ref=1C](4,0)(4,2){\someMath}
6 \psbrace[ref=lt,rot=90,nodesepB=-30pt](6,0)(6,2){\someMath}
7 \psbrace[ref=lt,rot=90,nodesepB=30pt](8,2)(8,0){\someMath}
8 \end{pspicture}

```

some very, very long wonderful Text


Text

Text

```

1 \begin{pspicture}(\linewidth,5)
2 \psbrace(0,0.5)(\linewidth,0.5){\fbox{Text}}%
3 \psbrace[bracePos=0.25,nodesepB=-10pt,rot=90](0,2)(\linewidth,2){\fbox{
    Text}}
4 \psbrace[ref=1C,nodesepA=-3.5cm,nodesepB=-15pt,rot=90](0,4)(\linewidth,4){%
    \fbox{some very, very long wonderful Text}}
5 \end{pspicture}

```



```

1 \def\someMath{$\int \limits_1^{\infty} \frac{1}{x^2}, dx=1$}
2 \begin{pspicture}(12,11)
3 \psgrid[subgriddiv=0,griddots=10]
4 \pnode(0,0){A}
5 \pnode(4,6){B}
6 \psbrace[ref=lc](A)(B){One}
7 \psbrace[rot=180,nodesepA=-5pt,ref=rb](B)(A){Two}
8 \psbrace[linecolor=blue,bracePos=0.25,braceWidth=1,ref=lb](8,1)(1,7){Three}
9 \psbrace[braceWidth=-1,rot=180,ref=rB](8,1)(1,7){Four}
10 \psbrace[linearc=0.5,linecolor=red,linewidth=3pt,braceWidth=1.5,%
11   bracePos=0.25,ref=lc](8,1)(8,9){\someMath}
12 \psbrace(4,9)(6,9){}
13 \psbrace(6,9)(6,7){}
14 \psbrace(6,7)(4,7){}
15 \psbrace(4,7)(4,9){}
16 \psset{linecolor=red}
17 \psbrace[ref=lb](7,10)(3,10){I}
18 \psbrace[ref=lb,bracePos=0.75](3,10)(3,6){II}
19 \psbrace[ref=lb](3,6)(7,6){III}
20 \psbrace[ref=lb](7,6)(7,10){IV}
21 \end{pspicture}

```

$$\begin{pmatrix} 1 & & & \\ \ddots & & & \\ & 1 & & \\ & & 0 & \\ & & \ddots & \\ & & & 0 \end{pmatrix}$$

```

1 [
2 \begin{pmatrix}
3   \Rnode[vref=2ex]{A}{^1} \\
4   \& \ddots \\
5   \&& \Rnode[href=2]{B}{1} \\
6   \&&& \Rnode[vref=2ex]{C}{0} \\
7   \&&& \ddots \\
8   \&&& \Rnode[href=2]{D}{0}^-
9 \end{pmatrix}
10 ]
11 \psbrace[linewidth=0.1pt,rot=-90,nodesep=0.2](B)
12   (A){\small n times}
13 \psbrace[linewidth=0.1pt,rot=-90,nodesep=0.2](D)
14   (C){\small n times}

```

It is also possible to put a vertical brace around a default paragraph. This works with setting two invisible nodes at the beginning and the end of the paragraph. Indentation is possible with a minipage.

Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense.

Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense.

Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense.

Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense. Some nonsense text, which is nothing more than nonsense.

```
1 \begin{framed}
2 Some nonsense text, which is nothing more than nonsense.
3 Some nonsense text, which is nothing more than nonsense.
4
5 \noindent\rnode{A}{}
6
7 \vspace*{-1ex}
8 Some nonsense text, which is nothing more than nonsense.
9 Some nonsense text, which is nothing more than nonsense.
10 Some nonsense text, which is nothing more than nonsense.
11 Some nonsense text, which is nothing more than nonsense.
12 Some nonsense text, which is nothing more than nonsense.
13 Some nonsense text, which is nothing more than nonsense.
14 Some nonsense text, which is nothing more than nonsense.
15 Some nonsense text, which is nothing more than nonsense.
16
17 \vspace*{-2ex}
18 \noindent\rnode{B}{}\psbrace[linecolor=red](A)(B){}
19
20 Some nonsense text, which is nothing more than nonsense.
```

```

21 Some nonsense text, which is nothing more than nonsense.
22
23 \medskip
24 \hfill\begin{minipage}{0.95\linewidth}
25 \noindent\rnode{A}{}\\
26
27 \vspace*{-1ex}
28 Some nonsense text, which is nothing more than nonsense.
29 Some nonsense text, which is nothing more than nonsense.
30 Some nonsense text, which is nothing more than nonsense.
31 Some nonsense text, which is nothing more than nonsense.
32 Some nonsense text, which is nothing more than nonsense.
33 Some nonsense text, which is nothing more than nonsense.
34 Some nonsense text, which is nothing more than nonsense.
35 Some nonsense text, which is nothing more than nonsense.
36
37 \vspace*{-2ex}
38 \noindent\rnode{B}{}\psbrace[linecolor=red](A)(B){}
39 \end{minipage}
40 \end{framed}

```

7 Random dots

The syntax of the new macro `\psRandom` is:


```

\psRandom[<option>] {}
\psRandom[<option>]{<clip path>}
\psRandom[<option>](<xMax,yMax>){<clip path>}
\psRandom[<option>](<xMin,yMin>)(<xMax,yMax>){<clip path>}

```


If there is no area for the dots defined, then $(0,0)(1,1)$ in the actual scale is used for placing the dots. This area should be greater than the clipping path to be sure that the dots are placed over the full area. The clipping path can be everything. If no clipping path is given, then the frame $(0,0)(1,1)$ in user coordinates is used. The new options are:

name	default	
<code>randomPoints</code>	1000	number of random dots
<code>color</code>	<code>false</code>	random color




```

1 \psset{unit=5cm}
2 \begin{pspicture}(1,1)
3   \psRandom[dotsize=1pt,fillstyle=solid](1,1){\pscircle(0.5,0.5){0.5}}
4 \end{pspicture}
5 \begin{pspicture}(1,1)
6   \psRandom[dotsize=2pt,randomPoints=5000,color,%
7     fillstyle=solid](1,1){\pscircle(0.5,0.5){0.5}}
8 \end{pspicture}
```



```

1 \psset{unit=5cm}
2 \begin{pspicture}(1,1)
3   \psRandom[randomPoints=200,dotsize=8pt,dotstyle=+]{}
4 \end{pspicture}
5 \begin{pspicture}(1.5,1)
6   \psRandom[dotsize=5pt,color](0,0)(1.5,0.8){\psellipse(0.75,0.4)
7     (0.75,0.4)}
8 \end{pspicture}
```



```
1 \psset{unit=3cm}
2 \begin{pspicture}(0,-1)(3,1)
3   \psRandom[dotsize=4pt, dotstyle=o, linecolor=blue, fillcolor=red, %
4     fillstyle=solid, randomPoints=1000]%
5     (0,-1)(3,1){\psplot{0}{3.14}{ x 114 mul sin }}
6 \end{pspicture}
```

8 Arrows

8.1 Definition

`pstricks-add` defines the following "arrows":

Value	Example	Name
-		None
<->		Arrowheads.
>-<		Reverse arrowheads.
<<->>		Double arrowheads.
>>-<<		Double reverse arrowheads.
-		T-bars, flush to endpoints.
*- *		T-bars, centered on endpoints.
[-]		Square brackets.
] - [Reversed square brackets.
(-)		Rounded brackets.
) - (Reversed rounded brackets.
o - o		Circles, centered on endpoints.
* - *		Disks, centered on endpoints.
oo - oo		Circles, flush to endpoints.
** - **		Disks, flush to endpoints.
<->		T-bars and arrows.
>-<		T-bars and reverse arrows.
h - h		left/right hook arrows.
H - H		left/right hook arrows.

You can also mix and match, e.g., `->`, `*->` and `[->]` are all valid values of the `arrows` parameter. The parameter can be set with

```
\psset{arrows=<type>}
```

or for some macros with a special option, like

```
\psline[<general options>]{<arrow type>}(A)(B)
```


```
\psline[linecolor=red,linewidth=2pt]{|->}(0,0)(0,2)
```




8.2 Multiple arrows

There are two new options which are only valid for the arrow type <> or >>. **nArrow** sets both, the **nArrowA** and the **nArrowB** parameter. The meaning is declared in the following tables. Without setting one of these parameters the behaviour is like the one described in the old PSTricks manual.

Value	Meaning
->>	-A
<<->>	A-A
<<-	A-
>>-	B-
-<<	-B
>>-<<	B-B
>>->>	B-A
<<-<<	A-B

Value	Example
\psline{->>}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=3]{->>}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=5]{->>}(0,1ex)(2.3,1ex)	
\psline{<<-}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=3]{<<-}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=5]{<<-}(0,1ex)(2.3,1ex)	
\psline{<<->>}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=3]{<<->>}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=5]{<<->>}(0,1ex)(2.3,1ex)	
\psline{<<- }(0,1ex)(2.3,1ex)	
\psline[nArrowsA=3]{<<-<<}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=5]{<<-<<}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=3,nArrowsB=4]{<<-<<}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=3,nArrowsB=4]{>>->>}(0,1ex)(2.3,1ex)	
\psline[nArrowsA=1,nArrowsB=4]{>>->>}(0,1ex)(2.3,1ex)	

8.3 hookarrow



```

1 \psset{arrowsize=8pt , arrowlength=1 , linewidth=1pt , nodesep=2pt , shortput=
2      tablr}
3 \large
4 \begin{psmatrix}[colsep=12mm , rowsep=10mm]
5     & & $R_{\text{-}}2$ \\
6     & & 0 & & $R_{\text{-}}3$ \\
7 $e_{\text{-}}b:S$ & 1 & & 1 & 0 \\
8     & & 0 \\
9     & & $R_{\text{-}}1$ \\
10 \end{psmatrix}
11 \ncline{-}{1,3}{2,3}<{$e_{\text{-}}r_2$}>{$f_{\text{-}}r_2$}
12 \ncline{-}{2,3}{3,2}<{$e_{\text{-}}1$}
13 \ncline{-}{3,1}{3,2}^{$e_{\text{-}}s$} _{$f_{\text{-}}s$}
14 \ncline{-}{3,2}{4,3}>{$e_{\text{-}}3$}<{$f_{\text{-}}3$}
15 \ncline{-}{4,3}{3,4}>{$e_{\text{-}}4$}<{$f_{\text{-}}4$}
16 \ncline{-}{3,4}{2,3}>{$e_{\text{-}}2$}<{$f_{\text{-}}2$}
17 \ncline{-}{3,4}{3,5}^{$e_{\text{-}}5$}
18 \ncline{-}{3,5}{2,5}<{$e_{\text{-}}r_3$}>{$f_{\text{-}}r_3$}
19 \ncline{-}{4,3}{5,3}<{$e_{\text{-}}r_1$}>{$f_{\text{-}}r_1$}



```

8.4 `hookrightarrow` and `hookleftarrow`

This is another type of an arrow and abbreviated with `H`. The length and width of the hook is set by the new options `hooklength` and `hookwidth`, which are by default set to

```
\psset{hooklength=3mm, hookwidth=1mm}
```

If the line begins with a right hook then the line ends with a left hook and vice versa:



8.5 ArrowInside Option

It is now possible to have arrows inside the lines and not only at the beginning or the end. The new defined options

Name	Example	Output
ArrowInside	\psline[ArrowInside=->](0,0)(2,0)	
ArrowInsidePos	\psline[ArrowInside=->,% ArrowInsidePos=0.25](0,0)(2,0)	
ArrowInsidePos	\psline[ArrowInside=->,% ArrowInsidePos=10](0,0)(2,0)	
ArrowInsideNo	\psline[ArrowInside=->,% ArrowInsideNo=2](0,0)(2,0)	
ArrowInsideOffset	\psline[ArrowInside=->,% ArrowInsideNo=2,% ArrowInsideOffset=0.1](0,0)(2,0)	
ArrowInside	\psline[ArrowInside=->]{->}(0,0)(2,0)	
ArrowInsidePos	\psline[ArrowInside=->,% ArrowInsidePos=0.25]{->}(0,0)(2,0)	
ArrowInsidePos	\psline[ArrowInside=->,% ArrowInsidePos=10]{->}(0,0)(2,0)	
ArrowInsideNo	\psline[ArrowInside=->,% ArrowInsideNo=2]{->}(0,0)(2,0)	
ArrowInsideOffset	\psline[ArrowInside=->,% ArrowInsideNo=2,% ArrowInsideOffset=0.1]{->}(0,0)(2,0)	
ArrowFill	\psline[ArrowFill=false,% arrowinset=0]{->}(0,0)(2,0)	
ArrowFill	\psline[ArrowFill=false,% arrowinset=0]{<<->>}(0,0)(2,0)	
ArrowFill	\psline[ArrowInside=->,% arrowinset=0,% ArrowFill=false,% ArrowInsideNo=2,% ArrowInsideOffset=0.1]{->}(0,0)(2,0)	

Without the default arrow definition there is only the one inside the line, defined by the type and the position. The position is relative to the length of the whole line. 0.25 means at 25% of the line length. The peak of the arrow gets the coordinates which are calculated by the macro. If you want arrows with an absolute position difference, then choose a value greater than 1, e.g. 10 which places an arrow every 10 pt. The default unit pt cannot be changed.

8.6 ArrowFill Option

By default all arrows are filled polygons. With the option `ArrowFill=false` there are "white" arrows. Only for the beginning/end arrows they are empty, the inside arrows are overpainted with the line.



```

1 \psset{arrowscale=3}
2 \psline [linecolor=red,arrowinset=0]{<->}(0,0)(3,0)

```



```

1 \psset{arrowscale=3}
2 \psline [linecolor=red,arrowinset=0,ArrowFill=false]{<->}(0,0)(3,0)

```



```

1 \psset{arrowscale=3}
2 \psline [linecolor=red,arrowinset=0,arrowsize=0.2,
          ArrowFill=false]{<->}(0,0)(3,0)

```



```

1 \psset{arrowscale=3}
2 \psline [linecolor=blue,arrowscale=6,ArrowFill=true
          ]{>>->>}(0,0)(3,0)


```



```

1 \psset{arrowscale=3}
2 \psline [linecolor=blue,arrowscale=6,ArrowFill=false
          ]{>>->>}(0,0)(3,0)
3 \rule{3cm}{0pt}\\"[30pt]


```



```

1 \psset{arrowscale=3}
2 \psline [linecolor=blue,arrowscale=6,ArrowFill=true
          ]{>|->|}(0,0)(3,0)

```



```

1 \psset{arrowscale=3}
2 \psline [linecolor=blue,arrowscale=6,ArrowFill=false
          ]{>|->|}(0,0)(3,0)%

```

8.7 Examples

All examples are printed with `\psset{arrowscale=2, linecolor=red}`.

8.7.1 `\psline`



```
1 \begin{pspicture}(2,2)
2 \psset{arrowscale=2, ArrowFill=true}
3 \psline[ArrowInside=->]{|<->|}(2,1)
4 \end{pspicture}
```



```
1 \begin{pspicture}(2,2)
2 \psset{arrowscale=2, ArrowFill=true}
3 \psline[ArrowInside=-|]{|-|}(2,1)
4 \end{pspicture}
```



```
1 \begin{pspicture}(2,2)
2 \psset{arrowscale=2, ArrowFill=true}
3 \psline[ArrowInside=->, ArrowInsideNo=2]{->}(2,1)
4 \end{pspicture}
```



```
1 \begin{pspicture}(2,2)
2 \psset{arrowscale=2, ArrowFill=true}
3 \psline[ArrowInside=->, ArrowInsideNo=2, ArrowInsideOffset
        =0.1]{->}(2,1)
4 \end{pspicture}
```



```
1 \begin{pspicture}(6,2)
2 \psset{arrowscale=2, ArrowFill=true}
3 \psline[ArrowInside=-*]{->}(0,0)(2,1)(3,0)
      (4,0)(6,2)
4 \end{pspicture}
```



```

1 \begin{pspicture}(6,2)
2 \psset{arrowscale=2,ArrowFill=true}
3 \psline[ArrowInside=-*,ArrowInsidePos
=0.25]{->}(0,0)(2,1)(3,0)(4,0)(6,2)
4 \end{pspicture}


```



```

1 \begin{pspicture}(6,2)
2 \psset{arrowscale=2,ArrowFill=true}
3 \psline[ArrowInside=-*,ArrowInsidePos
=0.25,ArrowInsideNo=2]{->}%
(0,0)(2,1)(3,0)(4,0)(6,2)
4 \end{pspicture}

```



```

1 \begin{pspicture}(6,2)
2 \psset{arrowscale=2,ArrowFill=true}
3 \psline[ArrowInside=->, ArrowInsidePos
=0.25]{->}%
(0,0)(2,1)(3,0)(4,0)(6,2)
4 \end{pspicture}


```



```

1 \begin{pspicture}(6,2)
2 \psset{arrowscale=2,ArrowFill=true}
3 \psline[linestyle=none,ArrowInside=->,
ArrowInsidePos=0.25]{->}%
(0,0)(2,1)(3,0)(4,0)(6,2)
4 \end{pspicture}


```



```

1 \begin{pspicture}(6,2)
2 \psset{arrowscale=2,ArrowFill=true}
3 \psline[ArrowInside=-<, ArrowInsidePos
=0.75]{->}%
(0,0)(2,1)(3,0)(4,0)(6,2)
4 \end{pspicture}


```



```

1 \begin{pspicture}(6,2)
2 \psset{arrowscale=2,ArrowFill=true,
3     ArrowInside=-*}
4 \psline(0,0)(2,1)(3,0)(4,0)(6,2)
5 \psset{linestyle=none}
6 \psline[ArrowInsidePos=0](0,0)(2,1)(3,0)
7     (4,0)(6,2)
8 \psline[ArrowInsidePos=1](0,0)(2,1)(3,0)
9     (4,0)(6,2)
10 \end{pspicture}


```



```

1 \begin{pspicture}(6,5)
2 \psset{arrowscale=2,ArrowFill=true}
3 \psline[ArrowInside=->,ArrowInsidePos
4 =20](0,0)(3,0)%
5     (3,3)(1,3)(1,5)(5,5)(5,0)(7,0)(6,3)
6 \end{pspicture}

```




```

1 \begin{pspicture}(6,2)
2 \psset{arrowscale=2,ArrowFill=true}
3 \psline[ArrowInside=-|]{<->}(0,2)(2,0)
4     (3,2)(4,0)(6,2)
5 \end{pspicture}

```


8.7.2 \pspolygon



```

1 \begin{pspicture}(6,3)
2 \psset{arrowscale=2}
3 \pspolygon[ArrowInside=-|](0,0)(3,3)(6,3)
4     (6,1)
5 \end{pspicture}


```



```

1 \begin{pspicture}(6,3)
2 \psset{arrowscale=2}
3 \pspolygon[ArrowInside=->,ArrowInsidePos
 =0.25]%
4 (0,0)(3,3)(6,3)(6,1)
5 \end{pspicture}


```



```

1 \begin{pspicture}(6,3)
2 \psset{arrowscale=2}
3 \pspolygon[ArrowInside=->,ArrowInsideNo=4]
%
4 (0,0)(3,3)(6,3)(6,1)
5 \end{pspicture}


```



```

1 \begin{pspicture}(6,3)
2 \psset{arrowscale=2}
3 \pspolygon[ArrowInside=->,ArrowInsideNo=4,
%
4 ArrowInsideOffset=0.1](0,0)(3,3)(6,3)
(6,1)
5 \end{pspicture}


```






```


1 \begin{pspicture}(6,3)
2 \psset{arrowscale=2}
3 \pspolygon[ArrowInside=-|](0,0)(3,3)(6,3)
(6,1)
4 \psset{linestyle=none,ArrowInside=-*}
\pspolygon[ArrowInsidePos=0](0,0)(3,3)
(6,3)(6,1)
5 \pspolygon[ArrowInsidePos=1](0,0)(3,3)
(6,3)(6,1)
6 \psset{ArrowInside=-o}
7 \pspolygon[ArrowInsidePos=0.25](0,0)(3,3)
(6,3)(6,1)
8 \pspolygon[ArrowInsidePos=0.75](0,0)(3,3)
(6,3)(6,1)
10 \end{pspicture}

```




8.7.3 \psbezier






```

1 \begin{pspicture}(4,3)
2 \psset{arrowscale=2}
3   \psbezier[ArrowInside=>,showpoints=true,%
4     ArrowInsideNo=2,ArrowInsideOffset
5       =-0.2]{->}(2,3)(3,0)(4,2)
\end{pspicture}
```




```

1 \begin{pspicture}(5,3)
2 \psset{arrowscale=2}
3   \psbezier[ArrowInsideNo=9,ArrowInside=-|,%
4     showpoints=true]{*-*}(1,3)(3,0)(5,3)
\end{pspicture}
```




```

1 \begin{pspicture}(4,3)
2 \psset{arrowscale=2}
3   \psset{ArrowInside=-|}
4   \psbezier[ArrowInsidePos=0.25,showpoints=true
5     ]{*-*}(2,3)(3,0)(4,2)
\psset{linestyle=None}
\psbezier[ArrowInsidePos=0.75](2,3)(3,0)(4,2)
\end{pspicture}
```



```

1 \begin{pspicture}(5,6)
2 \psset{arrowscale=2}
3   \pnode(3,4){A}\pnode(5,6){B}\pnode(5,0){C}
4   \psbezier[ArrowInside=>,%
5     showpoints=true](A)(B)(C)
\psset{linestyle=None,ArrowInside=-<}
\psbezier[ArrowInsideNo=4](A)(B)(C)
\psset{ArrowInside=-o}
\psbezier[ArrowInsidePos=0.1](A)(B)(C)
\psbezier[ArrowInsidePos=0.9](A)(B)(C)
\psset{ArrowInside=-*}
\psbezier[ArrowInsidePos=0.3](A)(B)(C)
\psbezier[ArrowInsidePos=0.7](A)(B)(C)
\end{pspicture}
```



```

1 \begin{pspicture}(-3,-5)(15,5)
2 \psbezier[ArrowInsideNo=19,%
3     ArrowInside=>,ArrowFill=false,%
4     showpoints=true]{->}(-3,0)(5,-5)(8,5)(15,-5)
5 \end{pspicture}

```

8.7.4 \pcline

These examples need the package `pst-node`.



```

1 \begin{pspicture}(2,1)
2 \psset{arrowscale=2}
3 \pcline[ArrowInside=>](0,0)(2,1)
4 \end{pspicture}


```



```

1 \begin{pspicture}(2,1)
2 \psset{arrowscale=2}
3 \pcline[ArrowInside=->]{<->}(0,0)(2,1)
4 \end{pspicture}


```



```

1 \begin{pspicture}(2,1)
2 \psset{arrowscale=2}
3 \pcline[ArrowInside=-|,ArrowInsidePos=0.75]{|-|}(0,0)(2,1)
4 \end{pspicture}


```



```

1 \psset{arrowscale=2}
2 \pcline[ArrowInside=->,ArrowInsidePos=0.65]{*-*}(0,0)(2,0)
3 \naput[labelsep=0.3]{\large$g$}

```




```

1 \psset{arrowscale=2}
2 \pcline[ArrowInside=->,ArrowInsidePos=10]{|-|}(0,0)(2,0)
3 \naput[labelsep=0.3]{\large$l$}

```

8.7.5 \pccurve


These examples also need the package `pst-node`.



```

1 \begin{pspicture}(2,2)
2 \psset{arrowscale=2}
3 \pccurve[ArrowInside=->,ArrowInsidePos=0.65,showpoints=true
           ]{*-*}(0,0)(2,2)
4 \naput[labelsep=0.3]{\large$h$}
5 \end{pspicture}


```



```

1 \begin{pspicture}(2,2)
2 \psset{arrowscale=2}
3 \pccurve[ArrowInside=>,ArrowInsideNo=3,showpoints=true
    ]{|->}(0,0)(2,2)
4 \naput[labelsep=0.3]{\largei}
5 \end{pspicture}

```



```

1 \begin{pspicture}(4,4)
2 \psset{arrowscale=2}
3 \pccurve[ArrowInside=>,ArrowInsidePos
    =20]{|-|}(0,0)(4,4)
4 \naput[labelsep=0.3]{\largek}
5 \end{pspicture}

```

9 \psFormatInt

There exist some packages and a lot of code to format an integer like 1 000 000 or 1,234,567 (in Europe 1.234.567). But all packages expect a real number as argument and cannot handle macros as an argument. For this case `pstricks-add` has a macro `psFormatInt` which can handle both:

```

1,Change-
Order234,Cha\psFormatInt{1234567}\
1,234,567 2 \psFormatInt[intSeparator={,}]{1234567}\
1.234.567 3 \psFormatInt[intSeparator=.]{1234567}\
1.234-567 4 \psFormatInt[intSeparator=$\cdot$]{1234567}\
965,Change- 5 \def\temp{965432}
Order432   6 \psFormatInt{\temp}

```

With the option `intSeparator` the symbol can be changed to any any non-number character.

Part II

pst-node

10 \nclineII

The dashed lines are black and white by default. The new macro `\nclineII` offers two-color lines and has the same syntax as `\ncline`:

```
\ncline[<options>]{<Node A>}{<Node B>}
```



```
1 \circlenode[linecolor=blue, linewidth=2pt]{A}{A}%
2 \hspace{9cm}\circlenode[linecolor=cyan, linewidth=2pt]{B}{B}%
3 \nclineII[linewidth=5pt]{A}{B}
```


10.1 The options


These options are all defined in the package `pstricks-add`.

name	meaning
dashColorI	first color, default is <code>black</code>
dashColorII	second color, default is <code>red</code>
dashNo	The ratio of dashColorI to dashColorII, the default is 0.2

`dashNo` can have values greater than 1. In this case the value will be taken as an absolute width in the pt unit. Only this unit is possible!

10.2 Examples






```

1 \circlenode{A}{A}\hspace*{3cm}\circlenode{B}{B}%
2 \nclineII[dashColorI=blue, linewidth=3pt, dashNo
=15]{->}{A}{B}

```



```

1 \dianode{A}{A}\hspace*{3cm}\circlenode{B}{B}%
2 \nclineII[dashColorI=blue, linecap=1, dashNo=0.3,
 linewidth=0.5]{A}{B}

```

11 \pclineII

This is nearly the same macro as `\psline` from the main `pstricks` package.

`\pcline[<options>](<Node A>)(<Node B>)`



```

1 \circlenode[linecolor=blue, linewidth=2pt]{A}{A}%
2 \hspace*{9cm}\circlenode[linecolor=cyan, linewidth=2pt]{B}{B}%
3 \pclineII[linewidth=5pt](A)(B)

```

This macro makes only sense when connecting two "invisible" nodes, like this connection from here to the above word `pstricks`.

```

1 \raggedright This macro makes only sense when connecting two ''invisible''
nodes,
2 like this connection from here\pnode{D}\pclineII{->}(D)(C){}
3 to the above word \verb|pstricks|.


```

12 \ncdiag and \pcdiag

With the new option `lineAngle` the lines drawn by the `ncdiag` macro can now have a specified gradient. Without this option one has to define the two arms (which maybe zero) and PSTricks draws the connection between them. Now there is only a static `armA`, the second one `armB` is calculated when an angle `lineAngle` is defined. This angle is the gradient of the intermediate line between the two arms. The syntax of `ncdiag` is

```
\ncdiag[<options>]{<Node A>}{<Node B>}
\pcdiag[<options>](<Node A>)(<Node B>)
```


name	meaning
<code>lineAngle</code>	angle of the intermediate line segment. Default is 0, which is the same than using <code>ncdiag</code> without the <code>lineAngle</code> option.



```

1 \begin{pspicture}(5,6)
2   \circlenode{A}{A}\quad\circlenode{C}{C}%
3   \quad\quad\circlenode{E}{E}
4   \rput(0,4){\circlenode{B}{B}}
5   \rput(1,5){\circlenode{D}{D}}
6   \rput(2,6){\circlenode{F}{F}}
7   \psset{arrowscale=2,lineararc=0.2,%
8         linecolor=red,armA=0.5, angleA=90,angleB
9         =-90}
10  \ncdiag[lineAngle=20]{->}{A}{B}
11  \ncput*[nrot=:U]{line I}
12  \ncdiag[lineAngle=20]{->}{C}{D}
13  \ncput*[nrot=:U]{line II}
14  \ncdiag[lineAngle=20]{->}{E}{F}
15  \ncput*[nrot=:U]{line III}
16 \end{pspicture}
```


The `ncdiag` macro sets the `armB` dynamically to the calculated value. Any user setting of `armB` is overwritten by the macro. The `armA` could be set to a zero length:



```

1 \begin{pspicture}(4,3)
2   \rput(0.5,0.5){\circlenode{A}{A}}
3   \rput(3.5,3){\circlenode{B}{B}}
4   {\psset{linecolor=red,arrows=<-,arrowscale=2}
5     \ncdiag[lineAngle=60,%
6       armA=0,angleA=0,angleB=180]{A}{B}
7     \ncdiag[lineAngle=60,%
8       armA=0,angleA=90,angleB=180]{A}{B}}
9 \end{pspicture}


```



```

1 \begin{pspicture}(4,3)
2   \rput(1,0.5){\circlenode{A}{A}}
3   \rput(4,3){\circlenode{B}{B}}
4   {\psset{linecolor=red,arrows=<-,arrowscale=2}
5     \ncdiag[lineAngle=60,%
6       armA=0.5,angleA=0,angleB=180]{A}{B}
7     \ncdiag[lineAngle=60,%
8       armA=0,angleA=70,angleB=180]{A}{B}
9     \ncdiag[lineAngle=60,%
10      armA=0.5,angleA=180,angleB=180]{A}{B}}
11 \end{pspicture}

```



```


1 \begin{pspicture}(4,5.5)
2   \cnode*(0,0){2pt}{A}%
3   \cnode*(0.25,0){2pt}{C}%
4   \cnode*(0.5,0){2pt}{E}%
5   \cnode*(0.75,0){2pt}{G}%
6   \cnode*(2,4){2pt}{B}%
7   \cnode*(2.5,4.5){2pt}{D}%
8   \cnode*(3,5){2pt}{F}%
9   \cnode*(3.5,5.5){2pt}{H}%
10  {\psset{arrowscale=2,lineararc=0.2,%
11    linecolor=red,armA=0.5, angleA=90,angleB=-90}
12    \pcdiag[lineAngle=20]{->}(A)(B)
13    \pcdiag[lineAngle=20]{->}(C)(D)
14    \pcdiag[lineAngle=20]{->}(E)(F)
15    \pcdiag[lineAngle=20]{->}(G)(H)}
16 \end{pspicture}


```

13 \ncdiagg and \pcdiagg

This is nearly the same than \ncdiag except that `armB=0` and the `angleB` value is computed by the macro, so that the line ends at the node with an angle like a \pcdiagg line. The syntax of ncdiagg/pcdiagg is

```
\ncdiag[<options>]{<Node A>}{<Node B>}  
\pcdiag[<options>](<Node A>)(<Node B>)
```






```

1 \begin{pspicture}(4,6)
2   \psset{linecolor=black}
3   \cnode*(0,0){2pt}{A}%
4   \cnode*(0.25,0){2pt}{C}%
5   \cnode*(0.5,0){2pt}{E}%
6   \cnode*(0.75,0){2pt}{G}%
7   \cnode*(2,4){2pt}{B}%
8   \cnode*(2.5,4.5){2pt}{D}%
9   \cnode*(3,5){2pt}{F}%
10  \cnode*(3.5,5.5){2pt}{H}%
11  {\psset{arrowscale=2,lineararc=0.2,linecolor=red
12    ,armA=0.5, angleA=90}
13  \pcdiagg[lineAngle=20]{->}(A)(B)
14  \pcdiagg[lineAngle=20]{->}(C)(D)
15  \pcdiagg[lineAngle=20]{->}(E)(F)
16  \pcdiagg[lineAngle=20]{->}(G)(H)}
\end{pspicture}

```

The only catch for `\ncdiagg` is, that you need the right value for `lineAngle`. If the node connection is on the wrong side of the second node, then choose the corresponding angle, e.g.: if 20 is wrong then take -160 , the corresponding to 180.



```

1 \begin{pspicture}(4,1.5)
2   \circlenode{a}{A}
3   \rput[1](3,1){\rnode{b}{H}}
4   \ncdiagg[lineAngle=60,angleA=180,armA=.5,nodesepA=3
5     pt,linecolor=blue]{b}{a}
\end{pspicture}


```



```




1 \begin{pspicture}(4,1.5)
2   \circlenode{a}{A}
3   \rput[1](3,1){\rnode{b}{H}}
4   \ncdiagg[lineAngle=60,armA=.5,nodesepB=3pt,
5     linecolor=blue]{a}{b}
\end{pspicture}

```



14 \ncbarr

This has the same behaviour as `ncbar`, but has 5 segments and all are horizontal ones. This is the reason why `angleA` must be 0 or alternative 180. All other values are set to 0 by the macro. The intermediate horizontal line is symmetrical to the distance of the two nodes.




15 \psRelNode

With this macro it is possible to put a node relative to a given line. Parameter are the angle and the length factor:

```
\psRelNode(<P0>)(<P1>){<length factor>}{'end node name'}
\psRelLine[<options>](<P0>)(<P1>){<length factor>}{'end node name'}
```

The length factor depends to the distance of P_0P_1 and the end node name must be a valid nodename and shouldn't contain any of the special PostScript characters. There are two valid options:

name	default	meaning
angle	0	angle between the given line P_0P_1 and the new one $P_0P_{endNode}$
trueAngle	false	defines whether the angle depends to the seen line or to the mathematical one, which respect the scaling factors <code>xunit</code> and <code>yunit</code> .



```

1 \begin{pspicture}(7,6)
2 \psgrid[gridwidth=0pt,gridcolor=gray,
   gridlabels=0pt,subgriddiv=2]
3 \pnode(3,3){A}\pnode(4,2){B}
4 \psline[nodesep=-3,linewidth=0.5pt](A)
   (B)
5 \multido{\iA=0+30}{12}{%
6   \psRelNode[angle=\iA](A)(B){2}{C}%
7   \qdisk(C){2pt}
8   \uput[0](C){\iA}}
9 \end{pspicture}

```


16 \psRelLine

With this macro it is possible to plot lines relative to a given one. Parameter are the angle and the length factor:

```
\psRelLine(<P0>)(<P1>){<length factor>}{'end node name'}
\psRelLine[<arrows>](<P0>)(<P1>){<length factor>}{'end node name'}
\psRelLine[<options>](<P0>)(<P1>){<length factor>}{'end node name'}
\psRelLine[<options>][<arrows>](<P0>)(<P1>){<length factor>}{'end node name'}
```

The length factor depends to the distance of $\overline{P_0P_1}$ and the end node name must be a valid nodename and shouldn't contain any of the special PostScript characters. There are two valid options which are described in the forgoing section for `\psRelNode`.


The following two figures show the same, the first one with a scaling different to 1 : 1, this is the reason why the end points are on an ellipse and not on a circle like in the second figure.



```

1 \psset{yunit=2,xunit=1}
2 \begin{pspicture}(-2,-2)(3,2)
3 \psgrid[subgriddiv=2,subgriddots=10,gridcolor=
    lightgray]
4 \pnode(-1,0){A}\pnode(3,2){B}
5 \psline[linecolor=red](A)(B)
6 \psRelLine[linecolor=blue,angle=30](-1,0)(B)
   {0.5}{EndNode}
7 \qdisk(EndNode){2pt}
8 \psRelLine[linecolor=blue,angle=-30](A)(B)
   {0.5}{EndNode}
9 \qdisk(EndNode){2pt}
10 \psRelLine[linecolor=magenta,angle=90](-1,0)
    (3,2){0.5}{EndNode}
11 \qdisk(EndNode){2pt}
12 \psRelLine[linecolor=magenta,angle=-90](A)(B)
   {0.5}{EndNode}
13 \qdisk(EndNode){2pt}
14 \end{pspicture}

```




```

1 \begin{pspicture}(-2,-2)(3,2)
2 \psgrid[subgriddiv=2,subgriddots=10,gridcolor=
  lightgray]
3 \pnode(-1,0){A}\pnode(3,2){B}
4 \psline[linecolor=red](A)(B)
5 \psarc[linestyle=dashed](A){2.23}{-90}{135}
6 \psRelLine[linecolor=blue,angle=30](-1,0)(B)
  {0.5}{EndNode}
7 \qdisk(EndNode){2pt}
8 \psRelLine[linecolor=blue,angle=-30](A)(B)
  {0.5}{EndNode}
9 \qdisk(EndNode){2pt}
10 \psRelLine[linecolor=magenta,angle=90](-1,0)
  (3,2){0.5}{EndNode}
11 \qdisk(EndNode){2pt}
12 \psRelLine[linecolor=magenta,angle=-90](A)(B)
  {0.5}{EndNode}
13 \qdisk(EndNode){2pt}
14 \end{pspicture}

```

The following figure has also a different scaling, but has set the option `trueAngle`, all angles depends to what "you see".




```

1 \psset{yunit=2,xunit=1}
2 \begin{pspicture}(-3,-1)(3,2)\psgrid[
  subgridcolor=lightgray]
3 \pnode(-1,0){A}\pnode(3,2){B}
4 \psline[linecolor=red](A)(B)
5 \psarc(A){2.83}{-45}{135}
6 \psRelLine[linecolor=blue,angle=30,
  trueAngle](A)(B){0.5}{EndNode}
7 \qdisk(EndNode){2pt}
8 \psRelLine[linecolor=blue,angle=-30,
  trueAngle](A)(B){0.5}{EndNode}
9 \qdisk(EndNode){2pt}
10 \psRelLine[linecolor=magenta,angle=90,
  trueAngle](A)(B){0.5}{EndNode}
11 \qdisk(EndNode){2pt}
12 \psRelLine[linecolor=magenta,angle=-90,
  trueAngle](A)(B){0.5}{EndNode}
13 \qdisk(EndNode){2pt}
14 \end{pspicture}

```


Two examples with using `\multido` to show the behaviour of the options `trueAngle` and `angle`.



```

1 \psset{yunit=4,xunit=2}
2 \begin{pspicture}(-1,0)(3,2)\psgrid
   [subgridcolor=lightgray]
3 \pnode(-1,0){A}\pnode(1,1){B}
4 \psline[linecolor=red](A)(3,2)
5 \multido{\iA=0+10}{36}{%
6   \psRelLine[linecolor=blue,angle=\iA](B)(A){-0.5}{EndNode}
7   \qdisk(EndNode){2pt}
8 }
9 \end{pspicture}


```



```

1 \psset{yunit=4,xunit=2}
2 \begin{pspicture}(-1,0)(3,2)\psgrid
   [subgridcolor=lightgray]
3 \pnode(-1,0){A}\pnode(1,1){B}
4 \psline[linecolor=red](A)(3,2)
5 \multido{\iA=0+10}{36}{%
6   \psRelLine[linecolor=magenta,
   angle=\iA,trueAngle]{->}(B)(A)
   {-0.5}{EndNode}
7 }
8 \end{pspicture}

```



```

1 \psset{xunit=0.8\linewidth,yunit=0.8\linewidth,trueAngle}%
2 \begin{pspicture}(1,0.6)\psgrid
3   \pnode(.3,.35){Vk} \pnode(.375,.35){D}
4   \pnode(0,.4){DST1} \pnode(1,.18){DST2}
5   \pnode(0,.1){A1} \pnode(1,.31){A1}
6   {\psset{linewidth=.02,linestyle=dashed,linecolor=gray}%
7     \pcline(DST1)(DST2) % <- Druckseitentangente
8     \pcline(A2)(A1) % <- Anstri $\dot{e}$  $\frac{1}{2}$ mrichtung
9     \lput*{:U}{\small Anstri $\dot{e}$  $\frac{1}{2}$ richtung $v_{-\infty}$}%
}%
10 \psIntersectionPoint(A1)(A2)(DST1)(DST2){Hk}
11 \pscurve(Hk)(.4,.38)(Vk)(.36,.33)(.5,.32)(Hk)
12 \psParallelLine[linecolor=red!75!green,arrows=>,arrowscale=2](Vk)(Hk)(D)
13   .1){FtE}
14 \psRelLine[linecolor=red!75!green,arrows=>,%
15   arrowscale=2,angle=90](D)(FtE){4}{Fn} % why "4"?
16 \psParallelLine[linestyle=dashed](D)(FtE)(Fn).1){Fnr1}
17 \psRelLine[linestyle=dashed,angle=90](FtE)(D){-4}{Fnr2} % why "-4"?
18 \psline[linewidth=1.5pt,arrows=>,arrowscale=2](D)(Fnr2)
19 \psIntersectionPoint(D)([nodesep=2]D)(Fnr1)([offset=-4]Fnr1){Fh}
20 \psIntersectionPoint(D)([offset=2]D)(Fnr1)([nodesep=4]Fnr1){Fv}
21 \psline[linecolor=blue,arrows=>,arrowscale=2](D)(Fh)
22 \psline[linecolor=blue,arrows=>,arrowscale=2](D)(Fv)
23 \psline[linestyle=dotted](Fh)(Fnr1)
24 \psline[linestyle=dotted](Fv)(Fnr1)
25 \uput{.1}[0](Fh){\blue $F_{-H}$}
26 \uput{.1}[180](Fv){\blue $F_{-V}$}
27 \uput{.1}[-45](Fnr1){$F_{-R}$}
28 \uput{.1}[90](Fn){\color{red!75!green}$F_{-N}$}
29 \uput{.25}[-90](FtE){\color{red!75!green}$F_{-T}$}
30 \end{pspicture}

```

17 \psParallelLine


With this macro it is possible to plot lines relative to a given one, which is parallel. There is no special parameter here.

```

\psParallelLine(<P0>)(<P1>)(<P2>){<length>}{'<end node name>'}
\psParallelLine{<arrows>}(<P0>)(<P1>)(<P2>){<length>}{'<end node name>'}
\psParallelLine[<options>](<P0>)(<P1>)(<P2>){<length>}{'<end node name>'}
\psParallelLine[<options>]{<arrows>}(<P0>)(<P1>)(<P2>){<length>}{'<end node name>'}

```

The line starts at P_2 , is parallel to $\overline{P_0P_1}$ and the length of this parallel line depends to the length factor. The end node name must be a valid nodename and shouldn't contain any of the special PostScript characters.



```


1 \begin{pspicture*}(-5,-4)(5,3.5)
2   \psgrid[subgriddiv=0,griddots=5]
3   \pnode(2,-2){FF}\qdisk(FF){1.5pt}
4   \pnode(-5,5){A}\pnode(0,0){O}
5   \multido{\nCountA=-2.4+0.4}{9}{%
6     \psParallelLine[linecolor=red](O)(A)(0,\nCountA){9}{P1}
7     \psline[linecolor=red](0,\nCountA)(FF)
8     \psRelLine[linecolor=red](0,\nCountA)(FF){9}{P2}
9   }
10  \psline[linecolor=blue](A)(FF)
11  \psRelLine[linecolor=blue](A)(FF){5}{END1}
12  \psline[linewidth=2pt,arrows=->](2,0)(FF)
13 \end{pspicture*}

```

18 \psIntersectionPoint

This macro calculates the intersection point of two lines, given by the four coordinates. There is no special parameter here.

```
\psIntersectionPoint(<P0>)(<P1>)(<P2>)(<P3>){<node name>}
```



```


1 \psset{unit=0.5cm}
2 \begin{pspicture}(-5,-4)(5,5)
3   \psaxes{->}(0,0)(-5,-4)(5,5)
4   \psline[linecolor=red,linewidth=2pt](-5,-1)
5     (5,5)
6   \psline[linecolor=blue,linewidth=2pt](-5,3)
7     (5,-4)
8   \qdisk(-5,-1){3pt}\uput[-90]{-5,-1}{A}
9   \qdisk(5,5){3pt}\uput[-90]{5,5}{B}
10  \qdisk(-5,3){3pt}\uput[-90]{-5,3}{C}
11  \qdisk(5,-4){3pt}\uput[-90]{5,-4}{D}
12  \psIntersectionPoint(-5,-1)(5,5)(-5,3)(5,-4)
13    {IP}
14  \qdisk(IP){5pt}\uput{0.3}[90]{IP}{IP}
15  \psline[linestyle=dashed](IP|0,0)(IP)(0,0|IP)
16
17 \end{pspicture}

```

19 \psLNode and \psLCNode

\psLNode interpolates the Line \overline{AB} by the given value and sets a node at this point. The syntax is

```
\setLNode(P1)(P2){value}{Node name}
```




```

1 \begin{pspicture}(5,5)
2   \psgrid[subgriddiv=0,griddots=10]
3   \psset{linecolor=red}
4   \psline{o-o}(1,1)(5,5)
5   \setLNode(1,1)(5,5){0.75}{PI}
6   \qdisk(PI){4pt}
7   \psset{linecolor=blue}
8   \psline{o-o}(4,3)(2,5)
9   \setLNode(4,3)(2,5){-0.5}{PII}
10  \qdisk(PII){4pt}
11
12 \end{pspicture}

```

The `\psLCNode` macro builds the linear combination of the two given vectors and stores the end of the new vector as a node. All vectors start at $(0, 0)$, so a `\rput` maybe appropriate. The syntax is

```
\setLCNode(P1){value 1}(P2){value 2}{Node name}
```



Part III

pst-plot

20 New options

The option `tickstyle=full|top|bottom` is no more working in the `pstricks-add` package, because everything can be set by the `ticksize` option.

Table 2: All new parameters for `pst-plot`

Name	Type	Default
<code>algebraic</code>	<code>false true</code>	<code>false</code>
<code>comma</code>	<code>false true</code>	<code>false</code>
<code>xAxis</code>	<code>false true</code>	<code>true</code>
<code>yAxis</code>	<code>false true</code>	<code>true</code>
<code>xyAxes</code>	<code>false true</code>	<code>true</code>
<code>xDecimals</code>	<code><number> or empty</code>	<code>{}</code>
<code>yDecimals</code>	<code><number> or empty</code>	<code>{}</code>
<code>xyDecimals</code>	<code><number> or empty</code>	<code>{}</code>
<code>ticks</code>	<code><all x y none></code>	<code>all</code>
<code>labels</code>	<code><all x y none></code>	<code>all</code>
<code>subticks</code>	<code><number></code>	<code>0</code>
<code>xsubticks</code>	<code><number></code>	<code>0</code>
<code>ysubticks</code>	<code><number></code>	<code>0</code>
<code>ticksize</code>	<code><length [length]></code>	<code>-4pt 4pt</code>
<code>subticksize</code>	<code><number></code>	<code>0.75</code>
<code>tickwidth</code>	<code><length></code>	<code>0.5\pslinewidth</code>
<code>subtickwidth</code>	<code><length></code>	<code>0.25\pslinewidth</code>
<code>tickcolor</code>	<code><color></code>	<code>black</code>
<code>xtickcolor</code>	<code><color></code>	<code>black</code>
<code>ytickcolor</code>	<code><color></code>	<code>black</code>
<code>subtickcolor</code>	<code><color></code>	<code>darkgray</code>
<code>xsubtickcolor</code>	<code><color></code>	<code>darkgray</code>
<code>ysubtickcolor</code>	<code><color></code>	<code>darkgray</code>
<code>ticklinestyle</code>	<code>solid dashed dotted none</code>	<code>solid</code>
<code>subticklinestyle</code>	<code>solid dashed dotted none</code>	<code>solid</code>

Name	Type	Default
xlabelFactor	<anything>	{\ empty}
ylabelFactor	<anything>	{\ empty}
xlogBase	<number> or empty	{}
ylogBase	<number> or empty	{}
xylogBase	<number> or empty	{}
logLines	<none x y all>	none
ignoreLines	<number>	0
nStep	<number>	1
nStart	<number>	0
nEnd	<number> or empty	{}
xStep	<number>	0
yStep	<number>	0
xStart	<number> or empty	{}
yStart	<number> or empty	{}
xEnd	<number> or empty	{}
yEnd	<number> or empty	{}
plotNo	<number>	1
plotNoMax	<number>	1
xAxisLabel	<anything>	{\ empty}
yAxisLabel	<anything>	{\ empty}
xAxisLabelPos	<(x,y)> or empty	{\ empty}
yAxisLabelPos	<(x,y)> or empty	{\ empty}
llx	<length>	Opt
lly	<length>	Opt
urx	<length>	Opt
ury	<length>	Opt
polarplot	false true	false
trigLabels	false true	false
ChangeOrder	false true	false

20.1 algebraic¹

By default the function of `\psplot` has to be described in Reversed Polish Notation. The option `algebraic` allows to do this in the common algebraic notation. E.g.:

RPN	algebraic
<code>x ln</code>	<code>ln(x)</code>
<code>x cos 2.71 x neg 10 div exp mul</code>	<code>cos(x)*2.71^(-x/10)</code>
<code>1 x div cos 4 mul</code>	<code>4*cos(1/x)</code>
<code>t cos t sin</code>	<code>cos(t) sin(t)</code>

Setting the option `algebraic` to `true`, allow the user to describe all expression to be written in the classical algebraic notation (infix notation). The four arithmetic operations are obviously defined `+-*/`, and also the exponential operator `^`. The natural priorities are used : $3+4\times 5^5 = 3 + (4 \times (5^5))$, and by default the computation is done from left to right. The following functions are defined :

<code>sin, cos, tan, acos, asin</code>	in radians
<code>log, ln</code>	
<code>ceiling, floor, truncate, round</code>	
<code>sqrt</code>	square root
<code>abs</code>	absolute value
<code>fact</code>	for the factorial
<code>SUM</code>	for building sums
<code>IFTE</code>	for an easy case structure



more are to come... This option can be used with **all** plot macros.

Using the option `algebraic` implies that all angles have to be used in the radian unit!

For the `\parametricplot` the two parts must be divided by the `|` character:

```
1 \begin{pspicture}(-0.5,-0.5)(0.5,0.5)
2 \parametricplot[algebraic, linecolor=red]{-3.14}{3.14}{cos(t)|sin(t)}
3 \end{pspicture}
```


¹This part is adapted from the package `pst-eqdf`, written by Dominique Rodriguez.



20.1.1 Using the SUM function

Syntax: `SUM(<index name>, <start>, <step>, <end>, <function>)`

Let's plot the first development of cosine with polynomials: $\sum_{n=0}^{+\infty} \frac{(-1)^n x^{2n}}{n!}$.



```

1 \psset{algebraic=true,plotpoints=501, yunit=3}
2 \def\getColor#1{\ifcase#1 black\or red\or magenta\or yellow\or green\or Orange\or blue\or
3   DarkOrchid\or BrickRed\or Rhodamine\or OliveGreen\fi}
4 \begin{pspicture}(-7,-1.5)(7,1.5)
5   \psclip{\psframe(-7,-1.5)(7,1.5)}
6     \psplot{-7}{7}{cos(x)}
7     \multido{\n=1+1}{10}{%
8       \psplot[linecolor=\getColor{\n}]{-7}{7}{%
9         SUM(ijk,0,1,\n,(-1)^ijk*x^(2*ijk)/fact(2*ijk))}}
10    \endpsclip
11  \psaxes(0,0)(-7,-1.5)(7,1.5)
12 \end{pspicture}

```

20.1.2 Using the IFTE function

Syntax: IFTE(<sondition>, <true part>, <false part>)

Nesting of several IFTE are possible and seen in the following examples. A classical example is a piece wise linear function.



```

1 \begin{pspicture}(-7.5,-1.5)(7.5,6)\psgrid[subgriddiv=1,gridcolor=lightgray]
2   \psset{algebraic=true, plotpoints=21,linewidth=2pt}
3   \psplot[linecolor=blue]{-7.5}{7.5}{IFTE(x<-6,8+x,IFTE(x<0,-x/3,IFTE(x<3,2*x,9-x)))}
4   \psplot[linecolor=red, plotpoints=101]{-7.5}{7.5}{%
5     IFTE(2*x<-2^2*sqrt(9),%
6     7+x,IFTE(x<0,x^2/18-1,%
7     IFTE(x<3,2*x^2/3-1,8-x)))}%
8 \end{pspicture}

```


When you program a piece-wise defined function you must take care that a plotting point must be put on each point where the description changes. Use `showpoints=true` to see what's going on, when there is a problem. You are on the save side, when you choose a big number for `plotpoints`.

20.2 comma

Syntax:

```
comma=false|true
```

Setting this option to true gives labels with a comma as a decimal separator instead of the dot. `comma` and `comma=true` is the same.




```
1 \begin{pspicture}(-0.5,-0.5)(5,5.5)
2 \psaxes[Dx=1.5,Dy=0.5,comma]{->}(5,5)
3 \psplot[linecolor=red,linewidth=3pt]{0}{4.5}%
4 {x 180 mul 1.52 div cos 2 mul 2.5 add}
5 \psline[linestyle=dashed](0,2.5)(4.5,2.5)
6 \end{pspicture}
```

20.3 xyAxes, xAxis and yAxis

Syntax:

```
xyAxes=true|false
xAxis=true|false
yAxis=true|false
```

Sometimes there is only a need for one axis with ticks. In this case you can set one of the following options to false. The `xyAxes` makes only sense, when you want to set both, x and y to true with only one command again to the default, because with `xyAxes=false` you get nothing with the `psaxes` macro.



```

1 \begin{pspicture}(5,1)
2 \psaxes[yAxis=false,linecolor=blue]{->}(0,0.5)(5,0.5)
3 \end{pspicture}
4 \begin{pspicture}(1,5)
5 \psaxes[xAxis=false,linecolor=red]{->}(0.5,0)(0.5,5)
6 \end{pspicture}
7 \begin{pspicture}(1,5)
8 \psaxes[xAxis=false,linecolor=red]{->}(0.5,0)(0.5,5)
9 \end{pspicture}\hspace{2em}
10 \begin{pspicture}(1,5)
11 \psaxes[xAxis=false,linecolor=red,labelsep=-20pt]{->}(0.5,0)(0.5,5)
12 \end{pspicture}%
13 \begin{pspicture}(1,5)
14 \psaxes[xAxis=false,linecolor=red]{->}(0.5,0)(0.501,5)
15 \end{pspicture}%

```

As seen in the example, a single y axis gets the labels on the right side. This can be changed in two ways, first with the option `labelsep` and second with a very short and therefore invisible x-axis (right example).

20.4 xyDecimals, xDecimals and yDecimals

Syntax:


```

xyDecimals=<number>
xDecimals=<any>
yDecimals=<any>

```

By default the labels of the axes get numbers with or without decimals, just depending to the numbers. With these options `??Decimals` it is possible to determine the decimals, where


the option `xyDecimals` sets this identical for both axes. The default setting `{}` means, that you'll get the standard behaviour.



```

1 \begin{pspicture}(-1.5,-0.5)(5,4.75)
2   \psaxes[xyDecimals=2]{->}(0,0)(4.5,4.5)
3 \end{pspicture}

```



```


1 \def\pshlabel#1{\footnotesize$#1$}
2 \def\psvlabel#1{\footnotesize$#1$}
3 \psset{xunit=10cm, yunit=0.01cm}
4 \begin{pspicture}(-0.3,-150)(1.5,550.0)
5   \psaxes[Dx=0.25,Dy=100,tickscale=-4pt 0,comma=true,%
6     xDecimals=3,yDecimals=1]{->}(0,0)(0,-100)(1.4,520)
7 \end{pspicture}

```

20.5 Changing the label style

There are no special keywords to change the labelstyle for the `\psaxes` macro. With a redefinition of the two macros `\pshlabel` and `\psvlabel` it is possible to set both axes in any shape. Like the default `pst-plot` package the coordinates are printed in mathmode, changing the fontsize to italic needs textmode.

```
\def\pshlabel#1{\scriptsize\itshape #1}
\def\psvlabel#1{\sffamily\footnotesize #1}
```




```
1 \def\pshlabel#1{\scriptsize\itshape #1}
2 \def\psvlabel#1{\sffamily\footnotesize #1}
3 \psset{yunit=1cm,xunit=3cm}
4 \begin{pspicture}(-0.3,-0.5)(5,4.75)
5 \psaxes[Dy=0.5,Dx=0.25]{->}(0,0)(4.5,4.5)
6 \end{pspicture}
```

20.6 ticks

Syntax:

```
ticks=all|x|y|none
```


This option is also already in the `pst-plot` package and only mentioned here for some completeness.



```

1 \psset{ticksize=6pt}
2 \begin{pspicture}(-1,-1)(2,2)
3 \psaxes[ticks=all,subticks=5]{->}(0,0)(-1,-1)(2,2)
4 \end{pspicture}


```



```

1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[ticks=y,subticks=5]{->}(0,0)(-1,-1)(2,2)
3 \end{pspicture}


```



```

1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[ticks=x,subticks=5]{->}(0,0)(2,2)(-1,-1)
3 \end{pspicture}

```



```

1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[ticks=none,subticks=5]{->}(0,0)(2,2)(-1,-1)
3 \end{pspicture}


```

20.7 labels


Syntax:

`labels=all|x|y|none`


This option is also already in the `pst-plot` package and only mentioned here for some completeness.




```
1 \psset{ticksize=6pt}
2 \begin{pspicture}(-1,-1)(2,2)
3 \psaxes[labels=all,subticks=5]{->}(0,0)(-1,-1)(2,2)
4 \end{pspicture}
```



```
1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[labels=y,subticks=5]{->}(0,0)(-1,-1)(2,2)
3 \end{pspicture}
```



```
1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[labels=x,subticks=5]{->}(0,0)(2,2)(-1,-1)
3 \end{pspicture}
```



```
1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[labels=none,subticks=5]{->}(0,0)(2,2)(-1,-1)
3 \end{pspicture}
```


20.8 ticksize, xticksize, yticksiz

With this new option the recent `tickstyle` option of `pst-plot` is obsolete and no more supported by `pstricks-add`.


Syntax:

```
ticksize=value[unit]
ticksize=value[unit] value[unit]
xticksize=value[unit]
xticksize=value[unit] value[unit]
yticksiz=value[unit]
yticksiz=value[unit] value[unit]
```

`ticksize` sets both values. The first one is left/below and the optional second one is right/above of the coordinate axis. The old setting `tickstyle=bottom` is now easy to realize, e.g.: `ticksize=-6pt 0`, or vice versa, if the coordinates are set from positive to negative values.




```
1 \psset{arrowscale=3}
2 \begin{pspicture}(-1.5,-1.5)(4,3.5)
3   \psaxes[ticksize=0.5cm]{->}(0,0)
4     (-1.5,-1.5)(4,3.5)
5 \end{pspicture}
```



```
1 \psset{arrowscale=3}
2 \begin{pspicture}(-1.5,-1.5)(4,3.5)
3   \psaxes[xticksize=-10pt 0,yticksize=0 10pt]{->}(0,0)(-1.5,-1.5)(4,3.5)
4 \end{pspicture}
```

A grid is also possible by setting the values to the max/min coordinates.



```


1 \psset{arrowscale=3}
2 \begin{pspicture}(-.5,-.5)(5,4.5)
3   \psaxes[ticklinestyle=dashed,ticks=0 4
          cm]{->}(0,0)(-.5,-.5)(5,4.5)
4 \end{pspicture}
```

20.9 subticks

Syntax:


`subticks=<number>`

By default subticks cannot have labels.




```

1 \psset{ticks=6pt}
2 \begin{pspicture}(-1,-1)(2,2)
3 \psaxes[ticks=all,subticks=5]{->}(0,0)(-1,-1)(2,2)
4 \end{pspicture}
```



```


1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[ticks=y,subticks=5]{->}(0,0)(-1,-1)(2,2)
3 \end{pspicture}
```



```

1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[ticks=x,subticks=5]{->}(0,0)(2,2)(-1,-1)
3 \end{pspicture}

```



```

1 \begin{pspicture}(-1,-1)(2,2)
2 \psaxes[ticks=none,subticks=5]{->}(0,0)(2,2)(-1,-1)
3 \end{pspicture}

```

20.10 subticksize, xsubticksize, ysubticksize


Syntax:

```

subticksize=value
xsubticksize=value
ysubticksize=value

```

`subticksize` sets both values, which are relative to the `ticksize` length and can have any number. 1 sets it to the same length as the main ticks.



```

1 \psset{yunit=1.5cm,xunit=3cm}
2 \begin{pspicture}(-1.25,-4.5)(3.25,.75)
3   \psaxes[xticksize=-4.5 0.5,ticklinestyle=dashed,subticks=5,xsubticksize
4     =1,%  
      ysubticksize=0.75,xsubticklinestyle=dotted,xsubtickwidth=1pt,
5      subtickcolor=gray]{->}(0,0)(-1,-4)(3.25,0.5)
6 \end{pspicture}

```

20.11 tickcolor, subtickcolor


Syntax:

```

tickcolor=<color>
xtickcolor=<color>
ytickcolor=<color>
subtickcolor=<color>
xsubtickcolor=<color>
ysubtickcolor=<color>

```


tickcolor and **subtickcolor** set both for the x- and the y-Axis.



```

1 \def\pshlabel#1{\footnotesize$#1$}
2 \begin{pspicture}(0,-0.75)(10,1)
3 \psaxes[labelsep=2pt,yAxis=false,%
4   labelsep=-10pt,ticks=0 10mm,subticks=10,subticksize=0.75,%
5   tickcolor=red,subtickcolor=blue,tickwidth=1pt,%
6   subtickwidth=0.5pt](10.01,0)
7 \end{pspicture}

```



20.12 ticklinestyle and subticklinestyle


Syntax:

```

ticklinestyle=solid|dashed|dotted|none
xticklinestyle=solid|dashed|dotted|none
yticklinestyle=solid|dashed|dotted|none
subticklinestyle=solid|dashed|dotted|none
xsubticklinestyle=solid|dashed|dotted|none
ysubticklinestyle=solid|dashed|dotted|none

```

ticklinestyle and **subticklinestyle** set both values for the x and y axis. The value **none** doesn't really makes sense, because it is the same to **[sub]ticklines=0**



```

1 \psset{unit=4cm}
2 \pspicture(-0.15,-0.15)(2.5,1)
3   \psaxes[axesstyle=frame,logLines=y,xticksize=0 1,xsubticksize=1,%  

4     ylogBase=10,tickcolor=red,subtickcolor=blue,tickwidth=1pt,%  

5     subticks=20,xsubticks=10,xticklinestyle=dashed,%  


6     xsubticklinestyle=dashed](2.5,1)
7 \endpspicture

```

20.13 loglines

Syntax:

`loglines=all|x|y`




```


1 \pspicture(0,-1)(5,5)
2   \psaxes[subticks=5,axesstyle=frame,  

3     xylogBase=10,logLines=all](5,5)
4 \endpspicture

```



```
1 \psset{unit=4cm}
2 \pspicture(-0.15,-0.15)(2.5,3)
3   \psaxes[axesstyle=frame,logLines=y,xticksize=0 3,xsubticksize=1,%  
4     ylogBase=10,tickcolor=red,subtickcolor=blue,tickwidth=1pt,%  
5     subticks=20,xsubticks=10](2.5,3)
6 \endpspicture
```



```

1 \psset{unit=4}
2 \pspicture(0,-0.3)(3,1.2)
3   \psaxes[axesstyle=frame,logLines=x,xlogBase=10,Dy=0.5,%
4     tickcolor=red,subtickcolor=blue,tickwidth=1pt,ysubticks=5,xsubticks
5     =10](3,1)
\endpspicture


```

20.14 xylogBase, xlogBase and ylogBase

There are additional options `xylogBase` | `xlogBase` | `ylogBase` to get one or both axes with logarithm labels. For an interval of $[10^{-3} \dots 10^2]$ choose a `pstricks` interval of $[-3,2]$. `pstricks` takes 0 as the origin of this axes, which is wrong if we want to have a logarithm axes. With the options `0y` and `0x` we can set the origin to -3 , so that the first label gets 10^{-3} . If this is not done by the user then `pstricks-add` does it by default. An alternative is to set these parameters to empty values `0x={} , 0y={}`, in this case `pstricks-add` does nothing.

20.14.1 xylogBase

This mode is in math also called double logarithm. It is a combination of the two foregoing modes and the function is now $y = \log x$ and is shown in the following example.



```

1 \begin{pspicture}(-3.5,-3.5)(3.5,3.5)
2   \psplot [linewidth=2pt, linecolor=red
3     ]{0.001}{3}{x log}
4   \psaxes [xylogBase=10,0y
5     =-3]{<->}(-3,-3)(3.5,3.5)
6   \uput[-90](3.5,-3){x}
7   \uput[180](-3,3.5){y}
8   \rput(2.5,1){$y=\log x$}
\end{pspicture}

```


20.14.2 ylogBase

The values for the `psaxes` y-coordinate are now the exponents to the base 10 and for the right function to the base e : $10^{-3} \dots 10^1$ which corresponds to the given y-intervall $-3 \dots 1.5$, where only integers as exponents are possible. These logarithm labels have no effect to the internal used units. To draw the logarithm function we have to use the math function

$$y = \log\{\log x\}$$

$$y = \ln\{\ln x\}$$


with an drawing intervall of $1.001 \dots 6$.



```

1 \begin{pspicture}(-0.5,-3.5)(6.5,1.5)
2   \psaxes [ylogBase=10]{<->}(0,-3)
3   (6.5,1.5)
4   \uput[-90](6.5,-3){x}
5   \uput[0](0,1.4){y}
6   \rput(5,1){$y=\log x$}
7   \psplot [linewidth=2pt,%  
plotpoints=100, linecolor=red
8     ]{1.001}{6}{x log log} % log(x)
\end{pspicture}


```



```

1 \begin{pspicture}(-0.5,-3.5)(6.5,1.5)
2   \psplot [linewidth=2pt,plotpoints=100,
3     linecolor=red]%
4     {1.04}{6}{/ln {log 0.4343 div} def x
5       ln ln} % log(x)
6   \psaxes [ylogBase=e]{<->}(0,-3)
7     (6.5,1.5)
8   \uput[-90](6.5,-3){x}
9   \uput[0](0,1.5){y}
10  \rput(5,1){$y=\ln x$}
11 \end{pspicture}


```



```

1 \begin{pspicture}(-0.5,1.75)(6.5,4.5)
2   \psaxes [ylogBase=10,0y=2]{<->}(0,2)
3     (6.5,4.5)
4 \end{pspicture}


```



```

1 \begin{pspicture}(-0.5,-0.25)(6.5,4.5)
2   \psplot{0}{6}{x x cos add log}
3   % x      + cos(x)
4   \psplot [linecolor=red]{0}{6}{x 3 exp
5     x cos add log} % x^3 + cos(x)
6   \psplot [linecolor=cyan]{0}{6}{x 5 exp
7     x cos add log} % x^5 + cos(x)
8   \psaxes [ylogBase=10]{<->}(6.5,4.5)
9 \end{pspicture}


```



```

1 \begin{pspicture}(-0.5,-1.25)(6.5,4.5)
2   \psplot{0}{6}{x x cos add log}
3   % x + cos(x)
4   \psplot[linecolor=red]{0}{6}{x 3 exp x
5     cos add log} % x^3 + cos(x)
6   \psplot[linecolor=cyan]{0}{6}{x 5 exp x
7     cos add log} % x^5 + cos(x)
8   \psaxes[ylogBase=10]{<->}(0,-1)(0,-1)
9   (6.5,4.5)
10 \end{pspicture}

```




```

1 \begin{pspicture}(2.5,1.75)(6.5,4.5)
2   \psplot[linecolor=cyan]{3}{6}{x 5 exp x cos add log
3     } % x^5 + cos(x)
4   \psaxes[ylogBase=10,0x=3,0y=2]{->}(3,2)(3,2)
5   (6.5,4.5)
6 \end{pspicture}

```

20.14.3 xlogBase


Now we have to use the easy math function $y = x$ because the x axis is still $\log x$.



```


1 \begin{pspicture}(-3.5,-3.5)(3.5,3.5)
2   \psplot[linewidth=2pt, linecolor=red
3     ]{-3}{3}{x} % log(x)
4   \psplot[linewidth=2pt, linecolor=blue
5     ]{-1.3}{1.5}{x 0.4343 div} % ln(x)
6   \psaxes[xlogBase=10,0y=-3]{->}(-3,-3)
7   (3.5,3.5)
8   \uput[-90](3.5,-3){x}
9   \uput[180](-3,3.5){y}
10 \rput(2.5,1){$y=\log x$}
11 \rput[1b](0,-1){$y=\ln x$}
12 \end{pspicture}

```




```

1 \psset{yunit=3cm,xunit=2cm}
2 \begin{pspicture}(-1.25,-1.25)(4.25,1.5)
3   \uput[-90](4.25,-1){x}
4   \uput[0](-1,1){y}
5   \rput(0,1){$y=\sin x$}
6   \psplot[linewidth=2pt,plotpoints=5000,linecolor=red]{-1}{3.5}{10 x exp
    sin }
7   \psaxes[xlogBase=10,0y=-1]{->}(-1,-1)(4.25,1.25)
8 \end{pspicture}
```




```

1 \begin{pspicture}(-3.5,-2.5)(3.5,2.5)
2   \psaxes[xlogBase=10]{->}(0,0)
3   (-3.5,-2.5)(3.5,2.5)
4   \psplot{-2.5}{2.5}{10 x exp log}
5 \end{pspicture}
```





20.14.4 No logstyle (xylogBase={})

This is only a demonstration that the default option `logBase={}` still works ... :-)



20.15 subticks, tickwidth and subtickwidth






```

1 \psset{arrowscale=3}
2   \psaxes [labelsep=2pt ,yAxis=false ,subticks=8]{->}(0,0)(-5,-1)(5,1)\\[1
   cm]
3   \psaxes [yAxis=false ,subticks=4,ticksize=-4pt 0]{->}(0,0)(5,1)(-5,-1)
   \\
4   \psaxes [yAxis=false ,subticks=4,ticksize=-10pt 0]{->}(0,0)(-5,-5)(5,5)
   \\[1cm]
5   \psaxes [yAxis=false ,subticks=10,ticksize=0 -10pt ,labelsep=15pt
   ]{->}(0,0)(-5,-5)(5,5)\\[1cm]
6   \psaxes [yAxis=false ,subticks=4,ticksize=0 10pt ,labelsep=-15pt
   ]{->}(0,0)(5,5)(-5,-5)\\[1cm]
7   \psaxes [yAxis=false ,subticks=4,ticksize=0 -10pt]{->}(0,0)(5,5)(-5,-5)
   \\[0.25cm]
8   \psaxes [yAxis=false ,subticks=0]{->}(0,0)(-5,-5)(5,5)\\[1cm]
9   \psaxes [yAxis=false ,subticks=0,tickcolor=red,linecolor=blue]{->}(0,0)
   (5,5)(-5,-5)\\
10  \psaxes [yAxis=false ,subticks=5,tickwidth=2pt ,subtickwidth=1pt
   ]{->}(0,0)(-5,-5)(5,5)\\[1cm]
11  \psaxes [yAxis=false ,subticks=0,tickcolor=red]{->}(0,0)(5,5)(-5,-5)


```




```

1 \psset{arrowscale=3}
2 \psaxes[xAxis=false,subticks=8]{->}(0,0)(-5,-5)(5,5)\hspace{2em}
3 \psaxes[xAxis=false,subticks=4]{->}(0,0)(5,5)(-5,-5)\hspace{4em}
4 \psaxes[xAxis=false,subticks=4,ticksize=0 4pt]{->}(0,0)(-5,-5)(5,5) \
    \hspace{3em}
5 \psaxes[xAxis=false,subticks=4,ticksize=-4pt 0]{->}(0,0)(-5,-5)(5,5) \
    \hspace{1em}
6 \psaxes[xAxis=false,subticks=4,ticksize=0 4pt]{->}(0,0)(5,5)(-5,-5) \
    \hspace{2em}
7 \psaxes[xAxis=false,subticks=4,ticksize=-4pt 0,linecolor=red]{->}(0,0) \
    (5,5)(-5,-5)\hspace{4em}
8 \psaxes[xAxis=false,subticks=0]{->}(0,0)(-5,-5)(5,5)\hspace{1em}
9 \psaxes[xAxis=false,subticks=0,tickcolor=red,linecolor=blue]{->}(0,0) \
    (5,5)(-5,-5)\hspace{4em}
10 \psaxes[xAxis=false,subticks=5,tickwidth=2pt,subtickwidth=1pt \
    ]{->}(0,0)(-5,-5)(5,5)\hspace{2em}
11 \psaxes[xAxis=false,subticks=5,tickcolor=red,tickwidth=2pt,% \
    ticksize=10pt,subtickcolor=blue,subticksize=0.75]{->}(0,0)(5,5) \
    (-5,-5)


```




```
1 \pspicture(5,5.5)
2 \psaxes[subticks=4,ticksize=6pt,subticksize
3 =0.5,%  
4 tickcolor=red,subtickcolor=blue]{->}(5.4,5)
5 \endpspicture
```



```
1 \pspicture(5,5.5)
2 \psaxes[subticks=5,ticksize=0.6pt,
3 subticksize=0.5]{->}(5.4,5)
4 \endpspicture
```




```
1 \pspicture(5,5.5)
2 \psaxes[subticks=5,ticksize=-6pt 0,
3 subticksize=0.5]{->}(5.4,5)
4 \endpspicture
```



```

1 \pspicture(-3,-3)(3,3.5)
2   \psaxes[subticks=5,ticksize=0 6pt,
           subticksize=0.5]{->}(0,0)(3,3)(-3,-3)
3 \endpspicture


```



```

1 \pspicture(0,0.5)(-3,-3)
2   \psaxes[subticks=5,ticksize=-6pt 0,
             subticksize=0.5, linecolor=red
           ]{->}(-3,-3)
3 \endpspicture




```






```

1 \psset{axesstyle=frame}
2 \pspicture(5,5.5)
3   \psaxes[subticks=4,tickcolor=red,
             subtickcolor=blue](5,5)
4 \endpspicture


```





20.16 xlabelFactor and ylabelFactor

When having big numbers as data records then it makes sense to write the values as $<number>\cdot10^{<exp>}$. These new options allow to define the additional part of the value.




```

1 \readdata{\data}{demo1.dat}
2 \pstScalePoints(1,0.000001){}{% (x,y){additional x operator}{y op}
3 \psset{l1x=-1cm,l1y=-1cm}
4 \psgraph[ylabelFactor={\cdotp 10^6},Dx=5,Dy=100](0,0)(25,750){8cm}{5cm}
5   \listplot[linecolor=red, linewidth=2pt, showpoints=true]{\data}
6 \endpsgraph
7 \pstScalePoints(1,1){}{% reset

```

20.17 Plot style bar and option barwidth


This option allows to draw bars for the data records. The width of the bars is controlled by the option `barwidth`, which is set by default to value of `0.25cm`, which is the total width.



```

1 \psset{xunit=.44cm,yunit=.3cm}
2 \begin{pspicture}(-2,-1.5)(29,13)
3   \psaxes[axesstyle=axes,0x=1466,0y=0,Dx=4,Dy=2,%
4     ylabelFactor={\,\%,}(29,12)
5   \listplot[shadow=true,linecolor=blue,plotstyle=bar,barwidth=0.3cm,
6     fillcolor=red,fillstyle=solid]{\barData}
7   \rput{90}{(-3,6.25)}{Amount}
8 \end{pspicture}


```



```

1 \psset{xunit=.44cm,yunit=.3cm}
2 \begin{pspicture}(-2,-1.5)(29,13)
3   \psaxes[axesstyle=axes,0x=1466,0y=0,Dx=4,Dy=2,%
4     ylabelFactor={\,\%,}(29,12)
5   \listplot[linecolor=blue,plotstyle=bar,barwidth=0.3cm,
6     fillcolor=red,fillstyle=crosshatch]{\barData}
7   \rput{90}{(-3,6.25)}{Amount}
8 \end{pspicture}

```




```

1 \psset{xunit=.44cm,yunit=.3cm}
2 \begin{pspicture}(-2,-1.5)(29,13)
3   \psaxes[axesstyle=axes,0x=1466,0y=0,Dx=4,Dy=2,%
4     ylabelFactor={\, ,\%}](-2,12)
5   \listplot[linecolor=blue,plotstyle=bar,barwidth=0.3cm,
6     fillcolor=red,fillstyle=vlines]{\barData}
7   \listplot[showpoints=true]{\barData}
8   \rput{90}(-3,6.25){Amount}
9 \end{pspicture}

```

20.18 Axis with trigonometrical units

With the option `trigLabels=true` the labels on the x axis are trigonometrical ones:




```

1 \begin{pspicture}(-0.5,-1.25)(10,1.25)
2   \psplot[linecolor=red,linewidth=1.5pt]{%
3     {0}{9.424777961}{x 180 mul 3.141592654 div sin}}
4   \psaxes[xunit=1.570796327,showorigin=false,trigLabels]{->}(0,0)
5   (-0.5,-1.25)(6.4,1.25)
\end{pspicture}

```


With the value of `xunit` one can change the labels.



```

1 \begin{pspicture}(-0.5,-1.25)(10,1.25)
2   \psplot[linecolor=red,linewidth=1.5pt]{%
3     {0}{9.424777961}{x 180 mul 3.141592654 div sin}}
4   \psaxes[xunit=0.7853981635,showorigin=false,trigLabels]{->}(0,0)
5     (-1,-1.25)(12.8,1.25)
\end{pspicture}

```



```

1 \begin{pspicture}(-0.5,-1.25)(10,1.25)
2   \psplot[linecolor=red,linewidth=1.5pt]{%
3     {0}{9.424777961}{x 180 mul 3.141592654 div sin}}
4   \psaxes[xunit=0.7853981635,showorigin=false,trigLabels,Dx=2]{->}(0,0)
5     (-1,-1.25)(12.8,1.25)
\end{pspicture}

```

20.19 New options for \readdata

By default the macros `\readdata` reads every data record, which could be annoying when you have some text lines at top of your data files or when there are more than 10000 records to read.


`pstricks-add` defines two additional keys `ignoreLines` and `nStep`, which allows to ignore preceding lines, e.g. `ignoreLines=2`, or to read only a selected part of the data records, e.g. `nStep=10`, only every 10th records is saved.

```

1 \readdata[ignoreLines=2]{\dataA}{stressrawdata.dat}
2 \readdata[nStep=10]{\dataA}{stressrawdata.dat}

```

The default value for `ignoreLines` is 0 and for `nStep` is 1. the following data file has two text lines which shall be ignored by the `\readdata` macro:



```

1 \begin{filecontents*}{pstricks-add-data9.dat}
2 some nonsense in this line \frac{1}{2}\frac{1}{2}\frac{1}{2}time forcey
3   forcey
4 0 0.2
5 1 1
6 2 4
7 \end{filecontents*}
8 \readdata[ignoreLines=2]{\data}{pstricks-add-data9.
9   dat}
10 \pspicture(2,4)
11   \listplot[showpoints=true]{\data}
12   \psaxes{->}(2,4)
13 \endpspicture

```

20.20 New options for \listplot

By default the plot macros `\dataplot`, `\fileplot` and `\listplot` plot every data record. The package `pst-plot-add` defines additional keys `nStep`, `nStart`, `nEnd` and `xStep`, `xStart`, `xEnd`, which allows to plot only a selected part of the data records, e.g. `nStep=10`. These "n" options mark the number of the record to be plot (0, 1, 2,...) and the "x" ones the x-values of the data records.

Name	Default setting
<code>nStart</code>	1
<code>nEnd</code>	{}
<code>nStep</code>	1
<code>xStart</code>	{}
<code>xEnd</code>	{}
<code>yStart</code>	{}
<code>yEnd</code>	{}
<code>xStep</code>	0
<code>plotNo</code>	1
<code>plotNoMax</code>	1
<code>ChangeOrder</code>	<code>false</code>

These new options are only available for the `\listplot` macro, which is not a real limitation, because all data records can be read from a file with the `\readdata` macro (see example files or [4]):


```
\readdata[nStep=10]{\data}{/home/voss/data/data1.dat}
```

The use `nStep` and `xStep` options make only real sense when also using the option `plotstyle=dots`. Otherwise the coordinates are connected by a line as usual. Also the `xStep` option needs increasing x values. Pay attention that `nStep` can be used for `\readdata` and for `\listplot`. If used in both macros than the effect is multiplied, e.g. `\readdata` with `nStep=5` and `\listplot` with `nStep=10` means, that only every 50th data records is read and plotted.

When both, `x/yStart/End` are defined then the values are also compared with both values.

20.20.1 Example for `nStep/xStep`


The datafile `data.dat` contains 1000 data records. The thin blue line is the plot of all records with the `plotstyle` option `curve`.



```


1 \readdata{\data}{examples/data.dat}
2 \psset{xunit=0.125mm,yunit=0.0002mm}
3 \begin{pspicture}(-80,-30000)(1000,310000)
4 \psaxes[axesstyle=frame,Dx=100,dx=100,Dy=50000,dy=50000](1000,300000)
5 \listplot[nStep=50,linewidth=3pt,linecolor=red,plotstyle=dots]{\data}
6 \listplot[linewidth=1pt,linecolor=blue]{\data}
7 \end{pspicture}
```

20.20.2 Example for nStart/xStart



```
1 \readdata{\data}{examples/data.dat}
2 \psset{xunit=0.125mm,yunit=0.0002mm}
3 \begin{pspicture}(-80,-30000)(1000,310000)
4 \psaxes[axesstyle=frame,Dx=100,dx=100,Dy=50000,dy=50000](1000,300000)
5 \listplot[nStart=200,linewidth=3pt,color=blue]{\data}
6 \end{pspicture}
```

20.20.3 Example for nEnd/xEnd




```

1 \readdata{\data}{examples/data.dat}
2 \psset{xunit=0.125mm,yunit=0.0002mm}
3 \begin{pspicture}(-80,-30000)(1000,310000)
4 \psaxes[axesstyle=frame,Dx=100,dx=100,Dy=50000,dy=50000](1000,300000)
5 \listplot[nEnd=800,linewidth=3pt,linecolor=blue]{\data}
6 \end{pspicture}

```

20.20.4 Example for all new options




```

1 \readdata{\data}{examples/data.dat}
2 \psset{xunit=0.125mm,yunit=0.0002mm}
3 \begin{pspicture}(-80,-30000)(1000,310000)
4 \psaxes[axesstyle=frame,Dx=100,dx=100,Dy=50000,dy=50000](1000,300000)
5 \listplot[nStart=200, nEnd=800, nStep=50,linewidth=3pt, linecolor=blue,%
6   plotstyle=dots]{\data}
7 \end{pspicture}

```

20.20.5 Example for xStart

This example shows the use of the same plot with different units and different `xStart` value. The blue curve is the original plot of the data records. To show the important part of the curve there is another one plotted with a greater `yunit` and a start value of `xStart=0.35`. This makes it possible to have a kind of a zoom to the original graphic.




```

1 \def\pshlabel#1{\scriptsize\sffamily$#1$}
2 \def\psvlabel#1{\sffamily\scriptsize$#1$}
3 \psset{xunit=10cm, yunit=0.01cm}
4 \readdata{\data}{examples/data3.dat}
5 \begin{pspicture}(-0.1,-100)(1.5,700.0)
6   \psaxes[Dx=0.25,Dy=100,dy=100\psyunit,ticksize=-4pt 0]{->}(0,0)(0,-100)
7   (1.4,520)
8   \uput[0](1.4,0){\textsf{t [s]}}
9   \rput(-0.125,200){\rotateleft{\small\sffamily flow [ml/s]}}
10  \listplot[linewidth=2pt, linecolor=blue]{\data}
11  \rput(0.4,300){
12    \pscustom[yunit=0.04cm, linewidth=1pt]{%
13      \listplot[xStart=0.355]{\data}
14      \psline(1,-2.57)(1,0)(0.355,0)
15      \fill[fillstyle=hlines,fillcolor=gray,hatchwidth=0.4pt,hatchsep=1.5
16      pt,hatchcolor=red]%
17      \psline[linewidth=0.5pt]{->}(0.7,0)(1.05,0)
18    }%
19  }
20  \psline[linewidth=.01]{->}(0.75,300)(0.4,20)
21  \psline[linewidth=.01]{->}(1,290)(1.1,440)
22  \rput(1.1,470){\footnotesize\sffamily leak volume}
23  \psline[linewidth=.01]{->}(0.78,200)(1,100)
24  \rput[1](1.02,100){\footnotesize\sffamily closing volume}
25 \end{pspicture}

```

20.20.6 Example for yStart/yEnd



```

1 \readdata{\data}{examples/data.dat}
2 \psset{xunit=0.125mm,yunit=0.0002mm}
3 \begin{pspicture}(-80,-30000)(1000,310000)
4   \psaxes[axesstyle=frame,Dx=100,dx=100,Dy=50000,dy=50000](1000,300000)
5   \psset{linewidth=0.1pt,linestyle=dashed,linecolor=red}
6   \psline(0,40000)(1000,40000)
7   \psline(0,175000)(1000,175000)
8   \listplot[yStart=40000, yEnd=175000, linewidth=3pt, linecolor=blue,
    plotstyle=dots]{\data}
9 \end{pspicture}

```

20.20.7 Example for plotNo/plotNoMax

By default the plot macros expect `x|y` data records, but when having data files with multiple values for `y`, like:

```

x y1 y2 y3 y4 ... yMax
x y1 y2 y3 y4 ... yMax
...


```

you can select the `y` value which should be plotted. The option `plotNo` marks the plotted value (default 1) and the option `plotNoMax` tells `pst-plot` how many `y` values are present. There are no real restrictions in the maximum number for `plotNoMax`.

We have the following data file:

```
[% file examples/data.dat
0   0    3.375    0.0625
10  5.375    7.1875   4.5
20  7.1875   8.375    6.25
30  5.75     7.75    6.6875
40  2.1875   5.75    5.9375
50  -1.9375  2.1875   4.3125
60  -5.125   -1.8125  0.875
70  -6.4375  -5.3125 -2.6875
80  -4.875   -7.1875 -4.875
90  0        -7.625   -5.625
100 5.5      -6.3125 -5.8125
110 6.8125   -2.75    -4.75
120 5.25     2.875   -0.75
]%
```

which holds data records for multiple plots (x y_1 y_2 y_3). This can be plotted without any modification to the data file:



```

1 \readdata{Data}{examples/dataMul.dat}
2 \psset{xunit=0.1cm, yunit=0.5cm}
3 \begin{pspicture}(0,-7.5)(150,10)
4 \psaxes[Dx=10,Dy=2.5]{->}(0,0)(0,-7.5)(150,7.5)
5 \psset{linewidth=2pt,plotstyle=line}
6 \listplot[linecolor=green,plotNo=1,plotNoMax=3]{\Data}
7 \listplot[linecolor=red,plotNo=2,plotNoMax=3]{\Data}
8 \listplot[linecolor=blue,plotNo=3,plotNoMax=3]{\Data}
9 \end{pspicture}

```


20.20.8 Example for changeOrder

It is only possible to fill the region between two listplots with `\pscustom` if one of both has the values in a reverse order. Otherwise we do not get a closed path. With the option `ChangeOrder` the values are used in a reverse order:

```

1 \begin{filecontents*}{test.dat}
2 0 3 8
3 2 4 7
4 5 5 5.5
5 7 3.5 5
6 10 2 9
7 \end{filecontents*}
8 \begin{psgraph}[axesstyle=frame,ticklinestyle=dotted,tickscale=0 10](0,0)(10,10){1.75in}{1.1in}%
9   \readdata{\data}{test.dat}%
10   \pscustom[fillstyle=solid,fillcolor=gray]{%
11     \listplot[plotNo=2,plotNoMax=2]{\data}%
12     \listplot[plotNo=1,plotNoMax=2,ChangeOrder]{\data}%
13   }
14 \end{psgraph}

```




21 Polar plots

With the option `polarplot=false|true` it is possible to use `\psplot` in polar mode:

```
\psplot[polarplot=true,...]{<start angle>}{<end angle>}{<r(alpha)>}
```


The equation in PostScript code is interpreted as a function $r = f(\alpha)$, e.g. for the circle with radius 1 as $r = \sqrt{\sin^2 x + \cos^2 x}$:

```
x sin dup mul x cos dup mul add sqrt
```



```


1 \resetOptions
2 \def\pshlabel#1{\footnotesize$#1$}
3 \def\psvlabel#1{\footnotesize$#1$}
4 \psset{plotpoints=200,unit=0.75}
5 \begin{pspicture}*(-5,-5)(3,3)
6   \psaxes[labelsep=.75mm,arrowlength=1.75,
7     ticks=2pt,%
8     linewidth=0.17mm}{->}(0,0)(-4.99,-4.99)
9     (3,3)
10  \rput[Br](3,-.35){$x$}
11  \rput[tr](-.15,3){$y$}
12  \rput[Br](-.15,-.35){$0$}
13  \psset{linewidth=.35mm,polarplot=true}
14  \psplot[linecolor=red]{140}{310}{3 neg x
15    sin mul x cos mul x sin 3 exp x cos 3
      exp add div}
16  \psplot[linecolor=cyan]{140}{310}{6 neg x
17    sin mul x cos mul x sin 3 exp x cos 3
      exp add div}
18  \psplot[linecolor=blue]{140}{310}{9 neg x
19    sin mul x cos mul x sin 3 exp x cos 3
      exp add div}
20 \end{pspicture}
```



```

1 \resetOptions
2 \psset{plotpoints=200,unit=1}
3 \begin{pspicture}(-2.5,-2.5)(2.5,2.5) % Ulrich
4   Dирр
5   \psaxes[labelsep=.75mm,arrowlength=1.75,%
6     ticksize=2pt,linewidth=0.17mm]{->}(0,0)
7     (-2.5,-2.5)(2.5,2.5)
8   \rput[Br](2.5,-.35){$x$}
9   \rput[tr](-.15,2.5){$y$}
10  \rput[Br](-.15,-.35){$0$}
11  \psset{linewidth=.35mm,plotstyle=curve,
12    polarplot=true}
13  \psplot[linecolor=red]{0}{360}{x cos 2 mul x
      sin mul}
14  \psplot[linecolor=green]{0}{360}{x cos 3 mul x
      sin mul}
15  \psplot[linecolor=blue]{0}{360}{x cos 4 mul x
      sin mul}
\end{pspicture}

```



```

1 \psset{plotpoints=200,unit=0.5}
2 \begin{pspicture}(-8.5,-8.5)(9,9) % Ulrich Dирр
3   \psaxes[Dx=2,dx=2,Dy=2,dy=2,
4     labelsep=.75mm,%
5     arrowlength=1.75,ticksize=2pt,
6     linewidth=0.17mm]{->}(0,0)
7     (-8.5,-8.5)(9,9)
8   \rput[Br](9,-.7){$x$}
9   \rput[tr](-.3,9){$y$}
10  \rput[Br](-.3,-.7){$0$}
11  %
12  \psset{linewidth=.35mm,plotstyle=
13    curve,polarplot=true}
14  \psplot[linecolor=blue]{0}{720}{8
    2.5 x mul sin mul}
\end{pspicture}

```


22 New commands and environments

22.1 \pstScalePoints

The syntax is

```
\pstScalePoints(xScale,yScale){xPS}{yPS}
```

`xScale`,`yScale` are decimal values as scaling factors, the `xPS` and `yPS` are additional PostScript code to the x- and y-values of the data records. This macro is only valid for the `\listplot` macro!



`\pstScalePoints(1,0.5){}{3 add}` means that **first** the value 3 is added to the y values and **second** this value is scaled with the factor 0.5. As seen for the blue line for $x = 0$ we get $y(0) = (0 + 3) \cdot 0.5 = 1.5$.

Changes with `\pstScalePoints` are always global to all following `\listplot` macros. This is the reason why it is a good idea to reset the values at the end of the `pspicture` environment.

```
\pstScalePoints(1,1){}{}
```

22.2 psgraph environment


This new environment does the scaling, it expects as parameter the values (without units!) for the coordinate system and the values of the physical width and height (with units!). The syntax is:

```
\psgraph[<axes options>]{<arrows>}%
  (x0Orig,y0Orig)(xMin,yMin)(xMax,yMax){xLength}{yLength}
...
\endpsgraph

\begin{psgraph}[<axes options>]{<arrows>}%
  (x0Orig,y0Orig)(xMin,yMin)(xMax,yMax){xLength}{yLength}
...
\end{psgraph}
```

where the options are valid **only** for the the `\psaxes` macro. The first two arguments have the usual `PSTricks` behaviour.


- if `(x0Orig,y0Orig)` is missing, it is substituted to $(0, 0)$;
- if `(x0Orig,y0Orig)` and `(xMin,yMin)` are missing, they are both substituted to $(0, 0)$.



```

1 \readdata{\data}{demo1.dat}
2 \pstScalePoints(1,0.000001){}{% ( $x, y$ ) additional x operator}{y op}
3 \psset{llx=-0.5cm, lly=-1cm}
4 \psgraph[axesstyle=frame, xticksize=0 759, yticksize=0 25, %
5     subticks=0, ylabelFactor={\textcolor{blue}{\cdot} 10^6}, %
6     Dx=5, dy=100\psyunit, Dy=100](0,0)(25,750){10cm}{6cm} % parameters
7 \listplot[linecolor=red, linewidth=2pt, showpoints=true]{\data}
8 \endpsgraph


```



```

1 \readdata{\data}{demo1.dat}
2 \psset{xAxisLabel=x-Axes, yAxisLabel=y-
3     Axes, llx=-1cm, %
4         xAxisLabelPos={3cm, -1cm}, %
5         yAxisLabelPos={-1.5cm, 2.5cm}}
6 \pstScalePoints(1,0.00000001){}{}
7 \begin{psgraph}[axesstyle=frame,
8     xticksize=0 7.5, yticksize=0 25,
9     subticksize=1, %
10    ylabelFactor={\textcolor{blue}{\cdot} 10^8}, Dx=5, Dy
11    =1, xsubticks=2](0,0)(25,7.5){5.5
12    cm}{5cm}
13 \listplot[linecolor=red, linewidth=2pt
14     , showpoints=true]{\data}
15 \end{psgraph}


```



```

1 \readdata{\data}{demo1.dat}
2 \psset{llx=-0.5cm, lly=-1cm}
3 \pstScalePoints(1,0.000001){}{}
4 \psgraph[arrows=->, Dx=5, dy=200\psyunit, Dy
5     =200, %
6     subticks=5, ticksize=-10pt 0, tickwidth
7     =0.5pt, %
8     subtickwidth=0.1pt](0,0)(25,750){5.5cm
9     }{5cm}
10 \listplot[linecolor=red, linewidth=2pt,
11     showpoints=true, ]{\data}
12 \endpsgraph


```



```

1 \pstScalePoints(1,0.2){}{log}
2 \psset{lly=-0.75cm}
3 \psgraph[ylogBase=10,Dx=5,Dy=1,subticks=5](0,0)(25,2){12cm}{4cm}
4   \listplot[linecolor=red, linewidth=2pt, showpoints=true]{\data}
5 \endpsgraph


```



```

1 \readdata{\data}{demo0.dat}
2 \pstScalePoints(1,1){}{log}
3 \begin{psgraph}[arrows=->,Dx=0.5,ylogBase=10,0y=-1,xsubticks=10,%
4   ysubticks=2](0,-3)(3,1){12cm}{4cm}
5   \listplot[linecolor=red, linewidth=2pt, showpoints=true]{\data}
6 \end{psgraph}


```



```

1 \readdata{\data}{demo0.dat}
2 \pstScalePoints(1,1){}{log}
3 \psgraph[arrows=->,Dx=0.5,ylogBase=10,0y%
4   =-1,subticks=4](0,-3)(3,1){6cm}{3cm}
5   \listplot[linecolor=red, linewidth=2pt,%
6     showpoints=true]{\data}
7 \endpsgraph


```



```

1 \readdata{\data}{demo2.dat}%
2 \readdata{\dataII}{demo3.dat}%
3 \pstScalePoints(1,1){1989 sub}{}%
4 \psset{llx=-0.5cm,lly=-1cm, xAxisLabel=Year, yAxisLabel=Whatever,%
      xAxisLabelPos={2in,-0.4in},yAxisLabelPos={-0.4in,1in}}%
5 \psgraph[axesstyle=frame,Dx=2,0x=1989,subticks=2](0,0)(12,6){4in}{2in}%
6   \listplot[linecolor=red,linewidth=2pt]{\data}%
7   \listplot[linecolor=blue,linewidth=2pt]{\dataII}%
8   \listplot[linecolor=cyan,linewidth=2pt,yunit=0.5]{\dataII}%
9 \endpsgraph
10

```




```

1 \psset{l1x=-0.5cm,l1y=-0.75cm}
2 \pstScalePoints(1,1){1989_sub}{2_sub}
3 \begin{psgraph}[axesstyle=frame,Dx=2,0x=1989,0y=2,subticks=2](0,0)(12,4){6
in}{3in}%
4 \listplot[linecolor=red,linewidth=2pt]{\data}
5 \listplot[linecolor=blue,linewidth=2pt]{\dataII}
6 \listplot[linecolor=cyan,linewidth=2pt,yunit=0.5]{\dataII}
7 \end{psgraph}

```

An example with ticks on every side of the frame:



```


1 \def\data{0 0 1 1 2 4 3 9}
2 \begin{psgraph}[axesstyle=frame,ticksize=0 4pt](0,0)(3.0,9.0){12cm}{5cm}
3   \psaxes[axesstyle=frame,labels=none,ticksize=-4pt 0](3,9)(0,0)(3,9)
4   \listplot[linecolor=red,linewidth=2pt]{\data}
5 \end{psgraph}

```

22.2.1 The new options

name	default	meaning
xAxisLabel	x	label for the x-axis
yAxisLabel	y	label for the y-axis
xAxisLabelPos	{}	where to put the x-label
yAxisLabelPos	{}	where to put the y-label
llx	0pt	trim for the lower left x
lly	0pt	trim for the lower left y
urx	0pt	trim for the upper right x
ury	0pt	trim for the upper right y

There is one restriction in using the trim parameters, they must be set **before** `psgraph` is called. They are senseless, when using as parameters of `psgraph` itself.




```

1 \psset{l1x=-1cm,l1y=-1.25cm,urx=0.5cm,ury=0.1in,xAxisLabel=Year,%
2   yAxisLabel=Whatever,xAxisLabelPos={.4\linewidth,-0.4in},%
3   yAxisLabelPos={-0.4in,2in}}
4 \pstScalePoints(1,1){1989 sub}{}
5 \psframebox[linestyle=dashed,boxsep=0pt]{%
6 \begin{psgraph}[axesstyle=frame,0x=1989,subticks=2](0,0)(12,6){0.8\%
7   linewidth}{4in}%
8 \listplot[linecolor=red,linewidth=2pt]{\data}%
9 \listplot[linecolor=blue,linewidth=2pt]{\dataII}%
10 \listplot[linecolor=cyan,linewidth=2pt,yunit=0.5]{\dataII}%
11 \end{psgraph}%
}
```

22.2.2 Problems

Floating point operations in TeX are a real mess, which causes a lot of problems when there are very small oder very big units. With the options of `\pst-plot` it is possible to choose normal units (whatever this may be ...), but plotting the data as usual.



```

1 \begin{filecontents*}{test.dat}
2 3.2345 34.5
3 3.2364 65.4
4 3.2438 50.2
5 \end{filecontents*}
6
7 \psset{lly=-0.5cm}
8 \readdata{\data}{test.dat}
9 \pstScalePoints(1,1){3.23 sub 100 mul}{}
10 \begin{psgraph}[0x=3.23,Dx=0.01,dx=\psxunit,Dy=10]%
11   (0,0)(3,70){0.8\linewidth}{5cm}%
12   \listplot[showpoints=true,plotstyle=curve]{\data}
13 \end{psgraph}
```

This example shows some important facts:

- `3.23 sub 100 mul`: the x values are now 0.45; 0.64; 1.38
- `0x=3.23`: the origin of the x axis is set to 3.23
- `Dx=0.01`: the increment of the labels
- `dx=\psxunit`: uses the calculated unit value to get every unit a label

- `Dy=10`: increase the y labels by 10

Using the internal `\psxunit` one can have dynamical x-units, depending to the linewidth od the document.

22.3 `\psplotTangent`²

There is an additional option, named `Derive` vor an alternative function (see following example) to calculate the slope of the tangent. This will be in general the first derivation, but can also be any other function. If this option is different to the default value `Derive=default`, then this function is taken to calculate the slope. For the other cases, `pstricks-add` builds a secant with $-0.00005 < x < 0.00005$, calculates the slope and takes this for the tangent. This maybe problematic in some cases of special functions or x values, then it may be appropriate to use the `Derivate` option.

The macro expects three parameters:


x : the x value of the function for which the tangent should be calculated

dx : the dx to both sides of the x value

$f(x)$: the function in infix (with option `algebraic`) or the default postfix (PostScript) notation

The following examples show the use of the algebraic option together with the `Derive` option. Remember that using the `algebraic` option implies that the angles have to be in the radian unit!


²This part is adapted from the package `pst-eqdf`, written by Dominique Rodriguez.



```

1 \def\F{x RadtoDeg dup dup cos exch 2 mul cos add exch 3 mul cos add}
2 \def\Fp{x RadtoDeg dup dup sin exch 2 mul sin 2 mul add exch 3 mul sin 3 mul add neg}
3 \psset{plotpoints=1001}
4 \begin{pspicture}(-7.5,-2.5)(7.5,4) %X\psgrid
5   \psaxes{->}(0,0)(-7.5,-2)(7.5,3.5)
6   \psplot[linewidth=3\pslinewidth]{-7}{7}{\F}
7   \psset{linecolor=red, arrows=<->, arrowscale=2}
8   \multido{\n=-7+1}{8}{\psplotTangent{\n}{1}{\F}}
9   \psset{linecolor=magenta, arrows=<->, arrowscale=2}%
10  \multido{\n=0+1}{8}{\psplotTangent[linecolor=blue, Derive=\Fp]{\n}{1}{\F}}
11 \end{pspicture}

```




```

1 \def\Alg{\cos(x)+cos(2*x)+cos(3*x)} \def\Fp{\sin(x)-2*sin(2*x)-3*sin(3*x)}
2 \begin{pspicture}(-7.5,-2.5)(7.5,4)%\psgrid
3   \psaxes{->}(0,0)(-7.5,-2)(7.5,3.5)
4   \psplot[linewidth=1.5pt,algebraic,plotpoints=500]{-7.5}{7.5}{\Alg}
5   \multido{\n=-7+1}{8}{\psplotTangent[linecolor=red,arrows=<->,arrowscale=2,algebraic
6     ]{\n}{1}{\Alg}}
7   \multido{\n=0+1}{8}{\psplotTangent[linecolor=magenta,%
8     arrows=<->,arrowscale=2,algebraic,Derive=\Fp]{\n}{1}{\Alg}}
9 \end{pspicture}

```

The next example shows the use of `Derive` option to draw the perpendicular line of the tangent.



```

1 \begin{pspicture}(-0.5,-0.5)(7.25,7.25)
2   \def\Func{10 x div}
3   \psaxes[arrowscale=1.5]{->}(7,7)
4   \psplot[linewidth=2pt,algebraic]{1.5}{5}{10/x}
5   \psplotTangent[linewidth=.5\pslinewidth, linecolor=
6     red,algebraic]{3}{2}{10/x}
7   \psplotTangent[linewidth=.5\pslinewidth, linecolor=
8     blue,algebraic,Derive=(x*x)/10]{3}{2}{10/x}
9   \psline[linestyle=dashed](!0 / x 3 def \Func)(!3 / x
10    3 def \Func)(3,0)
11 \end{pspicture}


```

22.3.1 A polarplot example

Let's work with the classical cardioid : $\rho = 2(1 + \cos(\theta))$ and $\frac{d\rho}{d\theta} = -2 \sin(\theta)$. The Derive option always expects the $\frac{d\rho}{d\theta}$ value and uses internally the equation for the derivation of implicit defined functions:

$$\frac{dy}{dx} = \frac{\rho' \cdot \sin \theta + x}{\rho' \cdot \cos \theta - y}$$


where $x = r \cdot \cos \theta$ and $y = r \cdot \sin \theta$



```

1 \begin{pspicture}(-1,-3)(5,3)%\psgrid[subgridcolor=lightgray]
2   \psaxes{->}(0,0)(-1,-3)(5,3)
3   \psplot[polarplot,linewidth=3\pslinewidth,linecolor=blue,%
4     plotpoints=500]{0}{360}{1 x cos add 2 mul}
5 \end{pspicture}


```



```

1 \begin{pspicture}(-1,-3)(5,3)%\psgrid[subgridcolor=lightgray]
2   \psaxes{->}(0,0)(-1,-3)(5,3)
3   \psplot[polarplot,linewidth=3\pslinewidth,linecolor=blue,
4     plotpoints=500]{0}{360}{1 x cos add 2 mul}
5   \multido{\n=0+36}{10}{%
6     \psplotTangent[polarplot,linecolor=red,arrows=<->]{\n
7       }{1.5}{1 x cos add 2 mul} }
8 \end{pspicture}

```



```


1 \begin{pspicture}(-1,-3)(5,3)%\psgrid[subgridcolor=lightgray]
2   \psaxes{->}(0,0)(-1,-3)(5,3)
3   \psplot[polarplot,linewidth=3\pslinewidth,linecolor=blue,
4     algebraic,plotpoints=500]{0}{6.289}{2*(1+cos(x))}
5   \multido{\r=0.000+0.314}{21}{%
6     \psplotTangent[polarplot,Derive=-2*sin(x),algebraic,
7       linecolor=red,arrows=<->]{\r}{1.5}{2*(1+cos(x))} }
8 \end{pspicture}

```

22.3.2 A \parametricplot example

Let's work with a Lissajou curve : $\begin{cases} x = 3.5 \cos(2t) \\ y = 3.5 \sin(6t) \end{cases}$ whose derivative is : $\begin{cases} x = -7 \sin(2t) \\ y = 21 \cos(6t) \end{cases}$

The parameter must be the letter t instead of x and when using the `algebraic` option divide the two equations by a $|$ (see example).



```

1 \def\Lissa{\t dup 2 RadtoDeg mul cos 3.5 mul exch 6 mul RadtoDeg sin 3.5 mul}%
2 \psset{yunit=0.6}
3 \begin{pspicture}(-4,-4)(4,6)
4 \parametricplot[plotpoints=500,linewidth=3\pslinewidth]{0}{3.141592}{\Lissa}
5 \multido{\r=0.000+0.314}{11}{%
6   \psplotTangent[linecolor=red,arrows=<->]{\r}{1.5}{\Lissa} }
7 \multido{\r=0.157+0.314}{11}{%
8   \psplotTangent[linecolor=blue,arrows=<->]{\r}{1.5}{\Lissa} }
9 \end{pspicture}\hfill%
10 \def\LissaAlg{3.5*cos(2*t)|3.5*sin(6*t)} \def\LissaAlgDer{-7*sin(2*t)|21*cos(6*t)}%
11 \begin{pspicture}(-4,-4)(4,6)
12 \parametricplot[algebraic,plotpoints=500,linewidth=3\pslinewidth]{0}{3.141592}{\LissaAlg}
13 \multido{\r=0.000+0.314}{11}{%
14   \psplotTangent[algebraic,linecolor=red,arrows=<->]{\r}{1.5}{\LissaAlg} }
15 \multido{\r=0.157+0.314}{11}{%
16   \psplotTangent[algebraic,linecolor=blue,arrows=<->,%
17     Derive=\LissaAlgDer]{\r}{1.5}{\LissaAlg} }
18 \end{pspicture}

```

22.4 \psplotDiffEqn – solving differential equations³

A differential equation of first order is like

$$y' = f(x, y)$$

where y is a function of x . We define some vectors $Y = [y, y', \dots, y^{(n-1)}]$ und $Y' = [y', y'', \dots, y^n]$, depending to the order n . The syntax of the macro is

```
\psplotDiffEqn[options]{x0}{x1}{y0}{f(x,y)}
```

- **options:** the \psplotDiffEqn specific options and all other of PSTricks, which make sense;
- x_0 : the start value;
- x_1 : the end value of the definition interval;
- y_0 : the initial values for $y(x_0)$ $y'(x_0)$. . . ;
- $f(x, y, y', \dots)$: the differential equation, depending to the number of initial values, e.g.: {0 1} for y_0 are two initial values, so that we have a differential equation of second order $f(x, y, y')$ and the macro leaves y y' on the stack.

The new options are:

- **method** : integration method (**euler** for order 1 euler method, **rk4** for 4th order Runge-Kutta method) ;
- **whichabs** : select the abscissa for plotting the graph, by default it is x , but you can specify a number which represent a position in the vector y ;
- **whichord** : same as precedent for the ordinate, by default $y(0)$;
- **plotfuncx** : describe a ps function for the abscissa, parameter **whichabs** becomes useless ;
- **plotfuncy** : idem for ordinate;

³This part is adapted from the package **pst-eqdf**, written by Dominique Rodriguez.

- **buildvector** : boolean parameter for specifying the input-output of the f description :
 - true** (default) : y is put on the stack element by element, y' must be given in the same way ;
 - false** : y is put on the stack as a vector, y' must be returned in the same way ;
- **algebraic** : algebraic description for f , **buildvector** parameter is useless when activating this option.

The variable t (time) is represented by x in the \psplotDiffEqn, x and y (position) are represented respectively by $y[0]$ and $y[1]$

For **funcx** and **funcy** there is some examples at the end.

```


1 \def\Grav{%
2   /yp2 exch def /xp2 exch def /ay2 exch def /ax2 exch def
3   /yp1 exch def /xp1 exch def /ay1 exch def /ax1 exch def
4   /ro2 ax2 ax1 sub dup mul ay2 ay1 sub dup mul add def
5   xp1 yp1
6   ax2 ax1 sub ro2 sqrt div ro2 div
7   ay2 ay1 sub ro2 sqrt div ro2 div
8   xp2 yp2
9   3 index -20 mul 3 index -20 mul}
10    %% 0 1 2 3 4 5 6 7
11    %% x1 y1 x'1 y'1 x2 y2 x'2 y'2
12 \def\InitCond{ 1 1 .1 0 -1 -1 -2 0}
```

22.4.1 plotfuncx and plotfuncy

```

1 \begin{pspicture}(-4,-2.5)(1,1.1)\psgrid[subgriddiv=1]
2   \psplotDiffEqn[linecolor=red, method=rk4, plotpoints=200,
3     plotfuncx=y dup 4 get exch 0 get sub,%  

4     plotfuncy=dup 5 get exch 1 get sub ]{0}{3.9}{\InitCond}{\Grav}
5 \end{pspicture}
```




The center of the landmark is set to $y[0]$ and $y[1]$. There is also a drawing of the speed (vitesse in french) of the stars which uses these parameters.

22.4.2 Simple equation of first order $y' = y$

For the initial value $y(0) = 1$ we have the solution $y(x) = e^x$. y is always on the stack, so we have to do nothing. Using the `algebraic` option, we write it as $y[0]$.

The figure 2 shows different solutions depending to the number of plotpoints.




22.4.3 $y' = -y$

For the initial value $y(0) = 1$ we get the solution $y(x) = e^{-x}$, which is seen in figure 8.

```

1 \def\Funcf{\neg}\def\FuncAlg{-y[0]}
2 \psset{xunit=1.5, yunit=7}
3 \begin{pspicture}(0,0)(10,1)\psgrid[subgriddiv=1]
4   \psplot[linewidth=6\pslinewidth, linecolor=green]{0}{10}{Euler x neg exp}
5   \psplotDiffEqn[linecolor=magenta, plotpoints=11]{0}{10}{1}{\Funcf}
6   \psplotDiffEqn[linecolor=blue, plotpoints=101, algebraic=true]{0}{10}{1}{\FuncAlg}
7   \psplotDiffEqn[linecolor=orange, method=rk4, plotpoints=11]{0}{10}{1}{\Funcf}
8   \psplotDiffEqn[linecolor=red, method=rk4, plotpoints=51]{0}{10}{1}{\Funcf}
9   \psset{linewidth=4\pslinewidth}
10  \rput*(3.3,.9){\psline[linecolor=magenta](-.75cm,0)}
11  \rput*[1](3.3,.9){\small Euler order 1 $h=1$}
12  \rput*(3.3,.8){\psline[linecolor=blue](-.75cm,0)}
13  \rput*[1](3.3,.8){\small Euler order 1 $h=0\{,}1\$"}
14  \rput*(3.3,.7){\psline[linecolor=orange](-.75cm,0)}
15  \rput*[1](3.3,.7){\small RK ordre 4 $h=1$}
16  \rput*(3.3,.6){\psline[linecolor=red](-.75cm,0)}
17  \rput*[1](3.3,.6){\small RK ordre 4 $h=0\{,}2\$"}
18  \rput*(3.3,.5){\psline[linecolor=green](-.75cm,0)}
19  \rput*[1](3.3,.5){\small solution exacte}
20 \end{pspicture}

```



22.4.4 $y' = \frac{2ty}{4-t^2}$

For the initial value $y(0) = 1$ the exact solution is $y(x) = \frac{t + \sqrt{4 - t^2}}{2}$.

The function f described in PostScript code is like (y ist still on the stack):

```
x          %% y x
mul        %% x*y
2 exch sub %% 2-x*y
4 x dup mul %% 2-x*y 4 x^2
sub        %% 2-x*y 4-x^2
div        %% (2-x*y)/(4-x^2)
```


```
\newcommand{\InitCond}{1}
\newcommand{\Func}{x mul 2 exch sub 4 x dup mul sub div}
\newcommand{\FuncAlg}{(2-x*y[0])/(4-x^2)}
```

Listing 4: $y' = 2-ty$ and $y_0 = 1$

```

1 \psset{xunit=6.4, yunit=9.6, showpoints=false}
2 \begin{pspicture}(0,1)(2,1.7)
3   \psgrid[subgriddiv=5]
4   { \psset{linewidth=4\pslinewidth, linecolor=lightgray}
5     \psplot[0]{1.8}{x dup dup mul 4 exch sub sqrt add 2 div}
6     \psplot[1.8]{2}{x dup dup mul 4 exch sub sqrt add 2 div} }
7   \def\InitCond{1}
8   \def\Func{x mul 2 exch sub 4 x dup mul sub div}
9   \psplotDiffEqn[linecolor=magenta, plotpoints=20]{0}{1.9}{\InitCond}{\Func}
10  \psplotDiffEqn[linecolor=blue, plotpoints=191]{0}{1.9}{\InitCond}{\Func}
11  \psplotDiffEqn[linecolor=red, method=rk4, plotpoints=11,% algebraic=true]{0}{1.9}{\InitCond}{(2-x*y[0])/(4-x^2)}
12  \psplotDiffEqn[linecolor=Orange, method=rk4, plotpoints=21,% algebraic=true]{0}{1.9}{\InitCond}{(2-x*y[0])/(4-x^2)}
13  \psset{linewidth=4\pslinewidth}
14  \rput*(0.3,1.6){\psline[linecolor=magenta](-.75cm,0)}\rput*[1](0.3,1.6){\small Euler order 1 $h=0\{,}1\$}
15  \rput*(0.3,1.55){\psline[linecolor=blue](-.75cm,0)}\rput*[1](0.3,1.55){\small Euler ordre 1 $h=0\{,}01\$}
16  \rput*(0.3,1.5){\psline[linecolor=Orange](-.75cm,0)}\rput*[1](0.3,1.5){\small RK ordre 4 $h=0\{,}19\$}
17  \rput*(0.3,1.45){\psline[linecolor=red](-.75cm,0)}\rput*[1](0.3,1.45){\small RK ordre 4 $h=0\{,}095\$}
18  \rput*(0.3,1.4){\psline[linecolor=lightgray](-.75cm,0)}\rput*[1](0.3,1.4){\small solution exacte}
21 \end{pspicture}

```




22.4.5 $y' = -2xy$

For $y(-1) = \frac{1}{e}$ we get $y(x) = e^{-x^2}$.

```

1 \psset{unit=4}
2 \begin{pspicture}(-1,0)(3,1.1)\psgrid
3   \psplot[linewidth=4\pslinewidth, linecolor=gray]{-1}{3}{Euler x dup mul neg exp}
4   \psset{plotpoints=9}
5   \psplotDiffEqn[linecolor=cyan]{-1}{3}{1 Euler div}{x -2 mul mul}
6   \psplotDiffEqn[linecolor=yellow, method=rk4]{-1}{3}{1 Euler div}{x -2 mul mul}
7   \psset{plotpoints=21}
8   \psplotDiffEqn[linecolor=blue]{-1}{3}{1 Euler div}{x -2 mul mul}
9   \psplotDiffEqn[linecolor=Orange, method=rk4]{-1}{3}{1 Euler div}{x -2 mul mul}
10  \psset{linewidth=2\pslinewidth}
11  \rput*(2,1){\psline[linecolor=Orange](-0.25,0)}
12  \rput*[1](2,1){RK}
13  \rput*(2,.9){\psline[linecolor=blue](-0.25,0)}
14  \rput*[1](2,.9){\textsc{Euler}-1}
15  \rput*(2,.8){\psline[linecolor=gray](-0.25,0)}
16  \rput*[1](2,.8){solution}
17 \end{pspicture}

```



22.4.6 Spirale of Cornu

The integrals of Fresnel :

$$x = \int_0^t \cos \frac{\pi t^2}{2} dt$$

$$y = \int_0^t \sin \frac{\pi t^2}{2} dt$$

with


$$\dot{x} = \cos \frac{\pi t^2}{2}$$

$$\dot{y} = \sin \frac{\pi t^2}{2}$$

```

1 \psset{unit=10}
2 \begin{pspicture}(1,1)\psgrid[subgriddiv=5]
3   \psplotDiffEqn[whichabs=0,whichord=1,linecolor=red,method=rk4,algebraic,
4     plotpoints=500,showpoints=true]{0}{10}{0}{0}{\cos(Pi*x^2/2)|\sin(Pi*x^2/2)}
5 \end{pspicture}

```



22.4.7 Lotka-Volterra

The Lotka-Volterra model describes interactions between two species in an ecosystem, a predator and a prey. This represents our first multi-species model. Since we are considering two species, the model will involve two equations, one which describes how the prey population changes and the second which describes how the predator population changes.

For concreteness let us assume that the prey in our model are rabbits, and that the predators are foxes. If we let $R(t)$ and $F(t)$ represent the number of rabbits and foxes, respectively, that are alive at time t , then the Lotka-Volterra model is:

$$\dot{R} = a \cdot R - b \cdot R \cdot F \quad (1)$$

$$\dot{F} = e \cdot b \cdot R \cdot F - c \cdot F \quad (2)$$

where the parameters are defined by:

- a** is the natural growth rate of rabbits in the absence of predation,
- c** is the natural death rate of foxes in the absence of food (rabbits),
- b** is the death rate per encounter of rabbits due to predation,
- e** is the efficiency of turning predated rabbits into foxes.


The Stella model representing the Lotka-Volterra model will be slightly more complex than the single species models we've dealt with before. The main difference is that our model will have two stocks (reservoirs), one for each species. Each species will have its own birth and death rates. In addition, the Lotka-Volterra model involves four parameters rather than two. All told, the Stella representation of the Lotka-Volterra model will use two stocks, four flows, four converters and many connectors.

Listing 6. Latex Volume Counter

```

1 \def\InitCond{ 0 10 10}%% xa ya xl
2 \def\Faiglelapin{\Vaigle*(y[2]-y[0])/sqrt(y[1]^2+(y[2]-y[0])^2)|%
3             -\Vaigle*y[1]/sqrt(y[1]^2+(y[2]-y[0])^2)|%
4             -\Vlapin}
5 \def\Vlapin{1} \def\Vaigle{1.6}
6 \psset{unit=.7,subgriddiv=0,gridcolor=lightgray,method=adams,algebraic,%
7   plotpoints=20,showpoints=true}
8 \begin{pspicture}(8,10)\psgrid
9   \psplotDiffEqn[plotfuncy=pop 0,whichabs=2,linecolor=red]{0}{10}{\InitCond}{\Faiglelapin}
10  \psplotDiffEqn[whichabs=0,whichord=1,method=rk4]{0}{10}{\InitCond}{\Faiglelapin}%
11  }
12  \psplotDiffEqn[whichabs=0,whichord=1,linecolor=blue]{0}{10}{\InitCond}{\Faiglelapin}
13 \end{pspicture}%
14 \begin{pspicture}(10,12)\psgrid
15   \psplotDiffEqn[plotfuncy=dup 1 get dup mul exch dup 0 get exch 2 get sub dup
16     mul add sqrt,method=rk4]{0}{10}{\InitCond}{\Faiglelapin}
17   \psplotDiffEqn[plotfuncy=dup 1 get dup mul exch dup 0 get exch 2 get sub dup
18     mul add sqrt,method=adams]{0}{10}{\InitCond}{\Faiglelapin}
19   \psplotDiffEqn[plotfuncy=pop Func aload pop pop dup mul exch dup mul add sqrt,
20     linecolor=yellow]{0}{10}{\InitCond}{\Faiglelapin}
21 \end{pspicture}

```




22.4.8 $y'' = y$

Beginning with the initial equation $y(x) = Ae^x + Be^{-x}$ we get the hyperbolic trigonometrical functions.

```

1 \def\Funcf{exch} \psset{xunit=5cm, yunit=0.75cm}
2 \begin{pspicture}(0,0)(2,7)\psgrid[subgriddiv=0]
3 \psplot[linewidth=4\pslinewidth, linecolor=green]{0}{2}{Euler x exp} %%e^x
4 \psplotDiffEqn[linecolor=magenta, plotpoints=11]{0}{2}{1 1}{\Funcf}
5 \psplotDiffEqn[linecolor=blue, plotpoints=101]{0}{2}{1 1}{\Funcf}
6 \psplotDiffEqn[linecolor=red, method=rk4, plotpoints=11]{0}{2}{1 1}{\Funcf}
7 \psplot[linewidth=4\pslinewidth, linecolor=green]{0}{2}{Euler dup x exp} %%ch(x)
8   exch x neg exp add 2 div}
9 \psplotDiffEqn[linecolor=magenta, plotpoints=11]{0}{2}{1 0}{\Funcf}
10 \psplotDiffEqn[linecolor=blue, plotpoints=101]{0}{2}{1 0}{\Funcf}
11 \psplotDiffEqn[linecolor=red, method=rk4, plotpoints=11]{0}{2}{1 0}{\Funcf}
12 \psplot[linewidth=4\pslinewidth, linecolor=green]{0}{2}{Euler dup x exp
13   exch x neg exp sub 2 div} %%sh(x)
14 \psplotDiffEqn[linecolor=magenta, plotpoints=11]{0}{2}{0 1}{\Funcf}
15 \psplotDiffEqn[linecolor=blue, plotpoints=101]{0}{2}{0 1}{\Funcf}
16 \psplotDiffEqn[linecolor=red, method=rk4, plotpoints=11]{0}{2}{0 1}{\Funcf}
17 \rput*(3.3,.9){\psline[linecolor=magenta](-.75cm,0)}\rput*[1](3.3,.9){\small\textrm{sc}{Euler}
18   ordre 1 $h=1\$}
19 \rput*(3.3,.8){\psline[linecolor=blue](-.75cm,0)}\rput*[1](3.3,.8){\small\textrm{sc}{Euler} ordre 1
20   $h=0\{,\}1\$}
21 \rput*(3.3,.7){\psline[linecolor=red](-.75cm,0)}\rput*[1](3.3,.7){\small RK ordre 4 $h=1\$}
22 \rput*(3.3,.6){\psline[linecolor=green](-.75cm,0)}\rput*[1](3.3,.6){\small solution exacte}
23 \end{pspicture}

```




22.4.9 $y'' = -y$

```

1 \def\Funcf{exch neg}
2 \psset{xunit=1, yunit=4}
3 \def\quatrep{i12.5663706144}%%4pi=12.5663706144
4 \begin{pspicture}(0,-1)(\quatrep,1)\psgrid
5   \psplot[linewidth=4\pslinewidth, linecolor=green]{0}{\quatrep}{x RadtoDeg cos}%%cos(x)
6   \psplotDiffEqn[linecolor=blue, plotpoints=201]{0}{3.1415926}{1 0}{\Funcf}
7   \psplotDiffEqn[linecolor=red, method=rk4, plotpoints=31]{0}{3.1415926}{1 0}{\Funcf}
8   \psplot[linewidth=4\pslinewidth, linecolor=green]{0}{3.1415926}{x RadtoDeg sin} %%sin(x)
9   \psplotDiffEqn[linecolor=blue, plotpoints=201]{0}{3.1415926}{0 1}{\Funcf}
10  \psplotDiffEqn[linecolor=red, method=rk4, plotpoints=31]{0}{3.1415926}{0 1}{\Funcf}
11  \rput*(3.3,.9){\psline[linecolor=magenta](-.75cm,0)}\rput*[1](3.3,.9){\small Euler order 1 $h$ =1\$}
12  \rput*(3.3,.8){\psline[linecolor=blue](-.75cm,0)}\rput*[1](3.3,.8){\small Euler order 1 $h$ =0{},}1\$}
13  \rput*(3.3,.7){\psline[linecolor=red](-.75cm,0)}\rput*[1](3.3,.7){\small RK ordre 4 $h$=1\$}
14  \rput*(3.3,.6){\psline[linecolor=green](-.75cm,0)}\rput*[1](3.3,.6){\small solution exacte}
15 \end{pspicture}

```



22.4.10 The mechanical pendulum: $y'' = -\frac{g}{l} \sin(y)$

Pour des faibles oscillations $\sin(y) \simeq y$:


$$y(x) = y_0 \cos \left(\sqrt{\frac{g}{l}} x \right)$$

The function f is written in PostScript code:

```
exch RadtoDeg sin -9.8 mul %% y' -gsin(y)
```

```

1 \def\Func{y[1]-9.8*sin(y[0])}
2 \psset{yunit=2, xunit=4, algebraic=true}
3 \begin{pspicture}(0,-2)(3,2)\psgrid
4   \psplot[linewidth=3\pslinewidth, linecolor=orange]{0}{3}{.1*cos(sqrt(9.8)*x)}
5   \psset{method=rk4, plotpoints=50, linecolor=blue}
6   \psplotDiffEqn{0}{3}{.1 0}\Func
7   \psplot[linewidth=3\pslinewidth, linecolor=orange]{0}{3}{.25*cos(sqrt(9.8)*x)}
8   \psplotDiffEqn{0}{3}{.25 0}\Func
9   \psplotDiffEqn{0}{3}{.5 0}\Func
10  \psplotDiffEqn{0}{3}{1 0}\Func
11  \psplotDiffEqn[plotpoints=100]{0}{3}{Pi 2 div 0}\Func
12 \end{pspicture}
```



$$22.4.11 \quad y'' = -\frac{y'}{4} - 2y$$

Pour $y_0 = 5$ et $y'_0 = 0$ la solution est :


$$5e^{-\frac{x}{8}} \left(\cos(\omega x) + \frac{\sin(\omega x)}{8\omega} \right) \text{ avec } \omega = \frac{\sqrt{127}}{8}$$

Listing 10: $y'' = -\frac{y'}{4} - 2y$ avec $y_0 = 1$ et $y'_0 = 0$

```

1 \psset{xunit=.6,yunit=0.8,plotpoints=500}
2 \begin{pspicture}(0,-4)(26,5)\psgrid[subgriddiv=0,gridcolor=lightgray]
3   \psplot[plotpoints=200,linewidth=4\pslinewidth,linecolor=gray]{0}{26}{Euler x -8 div exp
4     x 127 sqrt 8 div mul RadtoDeg dup cos 5 mul exch sin 127 sqrt div 5 mul add mul}
5   \psplotDiffEqn[linecolor=red,linewidth=5\pslinewidth]{0}{26}{5 0}
6     {dup 3 1 roll -4 div exch 2 mul sub}
7   \psplotDiffEqn[linecolor=black,algebraic]{0}{26}{5 0} {y[1] |-y[1]/4-2*y[0]}
8   \psset{method=rk4, plotpoints=50}
9   \psplotDiffEqn[linecolor=blue,linewidth=5\pslinewidth]{0}{26}{5 0}{dup 3 1 roll -4 div exch 2
10    mul sub}
11  \psplotDiffEqn[linecolor=black,algebraic=true]{0}{26}{5 0}{y[1] |-y[1]/4-2*y[0]}
12 \end{pspicture}

```



22.4.12 Gravitation example of second order

$$\begin{cases} x_1'' = \frac{M_2}{r^2} \cos(\theta) \\ y_1'' = \frac{M_2}{r^2} \sin(\theta) \\ x_2'' = \frac{M_1}{r^2} \cos(\theta) \\ y_2'' = \frac{M_1}{r^2} \sin(\theta) \end{cases} \quad \text{avec} \quad \begin{cases} r^2 = (x_1 - x_2)^2 + (y_1 - y_2)^2 \\ \cos(\theta) = \frac{(x_1 - x_2)}{r} \\ \sin(\theta) = \frac{(y_1 - y_2)}{r} \end{cases}$$





Table 3: PostScript code for the gravitation examples

x1 y1 x'1 y'1 x2 y2 x'2 y'2
/yp2 exch def /xp2 exch def /ay2 exch mise en variables
def /ax2 exch def
/yp1 exch def /xp1 exch def /ay1 exch mise en variables
def /ax1 exch def
/ro2 ax2 ax1 sub dup mul ay2 ay1 sub dup calcul de r*r
mul add def
xp1 yp1
ax2 ax1 sub ro2 sqrt div ro2 div calcul de x''1
ay2 ay1 sub ro2 sqrt div ro2 div calcul de y''1
xp2 yp2
3 index -20 mul calcul de x''2=-20x''1
3 index -20 mul calcul de y''2=-20y''1

Listing 11. Circular interaction

```


1 \begin{pspicture}(-3,-2)(2,2)\psgrid[subgriddiv=0,gridcolor=lightgray]
2   \psset{method=rk4,plotpoints=200}
3   \psplotDiffEqn[whichabs=0,whichord=1,linecolor=blue]{0}{8}{\InitCond{\Grav}}
4   \psplotDiffEqn[whichabs=4,whichord=5,linecolor=red]{0}{8}{\InitCond{\Grav}}
5   \psplotDiffEqn[whichabs=4,whichord=5,linecolor=Orange,algebraic]{0}{8}{\InitCond{\GravAlg}}
6   \psplotDiffEqn[whichabs=0,whichord=1,linecolor=yellow,algebraic]{0}{8}{\InitCond{\GravAlg}}
7 \end{pspicture}
```



Listing 12. Circular interaction of two atoms

```


1 \begin{pspicture}(-4,-2)(1,1)\psgrid[subgriddiv=0,gridcolor=lightgray]
2   \psplotDiffEqn[linecolor=red,method=rk4,plotpoints=200,%
3     plotfuncx=y dup 4 get exch 0 get sub,
4     plotfuncy=dup 5 get exch 1 get sub ]{0}{8}{\InitCond{\Grav}}
5 \end{pspicture}
```



```

1 \begin{pspicture}(0,0)(8,9)\psgrid[subgriddiv=0,gridcolor=lightgray]
2 \psset{method=rk4,plotpoints=200}
3 \psplotDiffEqn[linecolor=red,plotfuncy=dup 6 get dup mul exch 7 get dup mul add sqrt]{0}{8}{\
    InitCond}{\Grav}
4 \psplotDiffEqn[linecolor=blue,plotfuncy=dup 2 get dup mul exch 3 get dup mul add sqrt]{0}{8}{\
    InitCond}{\Grav}
5 \end{pspicture}

```




22.4.13 Gravitation: two stars and more

x1 y1 x'1 y'1 x2 y2 x'2 y'2 x3 y3 x'3 y'3 x4 y4 x'4 y'4

```

1 \begin{pspicture}(-6,-6)(6,6)\psgrid[subgriddiv=0,gridcolor=lightgray]
2   \psset{buildvector=true,method=rk4}
3   \psplotDiffEqn[whichabs=0,whichord=1,linecolor=blue]{0}{\tMAX}{\InitCond}{\Test}
4   \psplotDiffEqn[whichabs=4,whichord=5,linecolor=red]{0}{\tMAX}{\InitCond}{\Test}
5   \psplotDiffEqn[whichabs=4,whichord=5,linecolor=orange,method=adams]{0}{\tMAX}{\InitCond}{\Test}
6   \psplotDiffEqn[whichabs=8,whichord=9,linecolor=magenta]{0}{\tMAX}{\InitCond}{\Test}
7   \psplotDiffEqn[whichabs=12,whichord=13,linecolor=green]{0}{\tMAX}{\InitCond}{\Test}
8   \psplotDiffEqn[whichabs=12,whichord=13,method=adams]{0}{\tMAX}{\InitCond}{\Test}
9 \end{pspicture}


```



```

1 \begin{pspicture}(-6,-6)(6,6)\psgrid[subgriddiv=0,gridcolor=lightgray]
2   \psset{buildvector=true,method=rk4}
3   \psplotDiffEqn[linecolor=red,plotfuncx=y dup 4 get exch 0 get sub ,
4     plotfuncy=dup 5 get exch 1 get sub ]{0}{tMAX}{\InitCond}{\Test}
5   \psplotDiffEqn[linecolor=magenta,plotfuncx=y dup 8 get exch 0 get sub ,
6     plotfuncy=dup 9 get exch 1 get sub ]{0}{tMAX}{\InitCond}{\Test}
7   \psplotDiffEqn[linecolor=green,plotfuncx=y dup 12 get exch 0 get sub ,
8     plotfuncy=dup 13 get exch 1 get sub ]{0}{tMAX}{\InitCond}{\Test}
9 \end{pspicture}

```



22.5 \resetOptions

Sometimes it is difficult to know what options which are changed inside a long document are different to the default one. With this macro all options depending to `pst-plot` can be reset. This depends to all options of the packages `pstricks`, `pst-plot` and `pst-node`.

23 Credits

Hendri Adriaens | Ulrich Dirr | Hubert Göllein | Denis Girou | Peter Hutnick | Christophe Jorssen | Manuel Luque | Jens-Uwe Morawski | Tobias Nübling | Rolf Niepraschk | Dominique Rodriguez | Timothy Van Zandt

References

- [1] Hendri Adriaens. xkeyval package. CTAN:/macros/latex/contrib/xkeyval, 2004.
- [2] Denis Girou. Présentation de PSTRicks. *Cahier GUTenberg*, 16:21–70, April 1994.
- [3] Michel Goosens, Frank Mittelbach, and Alexander Samarin. *The L^AT_EX Graphics Companion*. Addison-Wesley Publishing Company, Reading, Mass., 1997.
- [4] Laura E. Jackson and Herbert Voß. Die plot-funktionen von `pst-plot`. *Die T_EXnische Komödie*, 2/02:27–34, June 2002.
- [5] Nikolai G. Kollock. *PostScript richtig eingesetzt: vom Konzept zum praktischen Einsatz*. IWT, Vaterstetten, 1989.
- [6] Herbert Voß. *Chaos und Fraktale selbst programmieren: von Mandelbrotmengen über Farbmanipulationen zur perfekten Darstellung*. Franzis Verlag, Poing, 1994.
- [7] Herbert Voß. Die mathematischen Funktionen von PostScript. *Die T_EXnische Komödie*, 1/02, March 2002.
- [8] Timothy van Zandt. *PSTRicks - PostScript macros for generic T_EX*. <http://www.tug.org/application/PSTRicks>, 1993.
- [9] Timothy van Zandt. *multido.tex - a loop macro, that supports fixed-point addition*. CTAN:/graphics/pstricks/generic/multido.tex, 1997.
- [10] Timothy van Zandt. *pst-plot: Plotting two dimensional functions and data*. CTAN:/graphics/pstricks/generic/pst-plot.tex, 1999.
- [11] Timothy van Zandt and Denis Girou. Inside PSTRicks. *TUGboat*, 15:239–246, September 1994.

24 Change log

See file Changes